

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 32.87 ft., R.Q.D. ft., Bridge 100.04 ft., Forecastle 28.17 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 2 decks SH

Official No. ; Signal Letters ; State if Machinery is fitted aft No

How are the surfaces preserved from oxidation? Inside Cement as per Rules and paint Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cellular System

Where Fitted.	Length. Feet.	Water Capacity. Tons.	Where Fitted.	Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>95.11</u>	<u>222.5</u>	Fore peak tank,	<u>19.0</u>	<u>106</u>
Double bottom, under Engines and Boilers,	<u>38.92</u>	<u>135.5</u>	After peak tank,	<u>16.0</u>	<u>42</u>
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,	<u>142.11</u>	<u>377.0</u>	Other tanks, if fitted,		
	Total capacity of double bottom	<u>735.0</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules

Yes

Order for Special Survey No. 5238

Date 18.2.19.

No. 12 in builder's yard.

DATES of Surveys held while building

1918. Sept 5. 10. 18. 24. Oct 1. 14. 1919. Jan 10. 23 Feb 12. 14. 21. Mar 5. 14. 25 Apr 8. 28 May 14. 24. June 3. 14. 19. 24. July 3. Aug 1. 6. 19. 22. Sept 3. 10. 16. Oct 4. 29. Nov 4. 12. 14. 20. 26. Dec 1. 5. 9. 11. 16. 19. 22. 1920 Jan 14. 16. 19. 24

Total No. of Visits 48

Surveyor's Signature

George Mehl

© 2021

Lloyd's Register Foundation