

Rpt. 12.

Copy FREEBOARD VERIFICATION FORM FOR STEAMERS.

(When received in London Office 19.1.20)

Port _____

Vessel's Name New Brighton

Official No. _____

No. in Reg. Book _____

Port of Registry (For Foreign Vessels) _____

~~Iron~~ or Steel _____State whether Classed by Lloyd's Register Yes

Name of Owners _____

Date of Verification 15 Jan 1920

I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line 10 ft. 0½ ins.From centre of disc to top of statutory deck line } ft. ins.
at awning or part-awning deck . . . }Fresh water line above centre of disc . . . 7 ins.Indian Summer line above centre of disc . . . 7 ins.Winter line below centre of disc . . . 7 ins.~~Winter North Atlantic line below centre of disc~~ ins.Distance between the top of statutory deck } Steel at main, spar or upper dk. nil ins.
line on vessel's side and the intersec-
tion of the continuation of upper side of

wood or iron deck with the vessel's side } at awning or pt.-awning dk. ins.

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or iron deck.

S^d S.O. Kendall Surveyor.

(To be filled up in London Office.)

Statement No. 285-45 Date of Committee's Minute 6.1.20Particulars for Record
in Register Book.

Moulded Depth . . .	<u>38</u> ft.	<u>0</u>	ins.
Freeboard	<u>10</u> ft.	<u>0½</u>	ins.
Corresponding Draught	<u>28</u> ft.	<u>3</u>	ins.

Freeboards compared and found correct by _____ date _____

Is fee paid? _____

Form for Certificate

Instructions _____

date _____

Certificate written _____

Noted for posting _____

2m, 7, 19.—T.

© 2021

Lloyd's Register
Foundation

W1334-0115

compulsory freeboard and a
 condition of classification.

the main transverse screw shaft is fitted with
 continuous lines, and they should state that this is so.