

1 or 2 Dks., R. Q. Dk.,  
and Pt. Awng. Dk.

# IRON OR STEEL STEAMER.

State if Report is also sent on the Machinery of the Vessel

Date of completion of Report 13<sup>th</sup> August 1908

Date, First Survey Mar. 16

Port of Hull

Last Survey July 31<sup>st</sup> 1908

Rig Ketch

No. 20,422

MUN. 17 AUG 1908

Received at London Office

Survey held at Hull

On the Steam Trawler "ANTONIO."

TONNAGE under 194.47

Tonnage Deck ..

Do. of Poop

Do. of Raised Qr.

Do. of Break ..

Do. of Bridge House

Do. of Forecastle

Do. of Houses on Deck

Do. of excess of Hatchways

Do. above Crown of

Engine Room ..

Gross Tonnage 201.54

Less Crew Space 20.53

Less above Crown of

Engine Room ..

TONNAGE FOR FEES .. 180.99

Less Engine Room

Less Navigation Spaces

Register Tonnage

as cut on Beam .. 98.96

ONE OR TWO DECKED VESSEL.

CLASS 100 A1 "Steam Trawler"

Half Breadth (moulded) 11.19

Depth from upper part of Keel to top of Main Deck Bms. 13.31

Girth of Half Midship Frame (as per Rule) 20.12

1st Number 44.62

Length on deck from after part of stem to fore part of stern post 110.08

2nd Number 49.11

Proportions—Breadths to Length 4.92

Depths to Length—Main Deck to top of Keel 6.24

Destined Voyage Fishing

Master

Year of appointment

Built at Hull

When built 1908 Launched 15<sup>th</sup> June

By whom built Earls Shipbuilding & Eng. Co. Ltd.

Owners Hellyers' Steam Fishing Co. Ltd.

Managers

(Where necessary to be entered in Reg. Book.)

Residence Hull

Port belonging to Hull

If Surveyed while Building, Afloat, or in Dry Dock

LENGTH on Deck as per Rule	Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Main Deck Beams	Feet.	Inches.	No. of Decks with Flat laid	No. of Tiers of Beams
110		1	22		4 1/2	12		2	One	One

Dimensions of Ship per Register, Length, 111.3 breadth, 22.6 depth, 12.14 Moulded Depth, 12 ft. 10 ins. Round of Beam, Actual 6 ins.

FRAMING.						FORGINGS AND CASTINGS.					
FRAME, Angles, 7, E or L Bars, for 1/2 length amidships						KEEL, Bar or Side Plates depth and thickness					
Do. for 1/2 at each end	4	3	8	4	3	8 x 2	8 x 2	8 x 2	8 x 2	8 x 2	8 x 2
Do. in way of Double Bottoms at Solid Floors.						STEM, moulding and thickness	8 x 2	8 x 2	8 x 2	8 x 2	8 x 2
" " at intermdt. Bkts.						STERN-POST for Rudder do. do.	6 x 2 1/2	6 x 2 1/2	6 x 2 1/2	6 x 2 1/2	6 x 2 1/2
Spacing of Frames from centre to centre	20		20			" for Propeller	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4
REVERSED FRAME, Angles	3		flanged	4		MAIN PIECE of Rudder, diameter at head	2 3/4 x 2 1/2	2 3/4 x 2 1/2	2 3/4 x 2 1/2	2 3/4 x 2 1/2	2 3/4 x 2 1/2
DEEP FRAMING, depth of girder	4		4			do. at heel	2 3/4 x 2 1/2	2 3/4 x 2 1/2	2 3/4 x 2 1/2	2 3/4 x 2 1/2	2 3/4 x 2 1/2
FLOORS, depth and thickness of Floor Plate at mid-line for 1/2 length amidships	14	6	14	6		RUDDER, how constructed Forged iron frame. 2 plates					
" in way of Engines and Boilers		7		7		Can the Rudder be unshipped afloat? Yes.					
" thickness at the ends of vessel		6		6		KEELSONS AND STRINGERS.					
" depth at 1/2 the half breadth, as per Rule		6		6		CENTRE LINE KEELSON, Vertical Plate above floors, Through Plate, or Intercoastal Plate					
" height extended at the Bilges		6		6		" Rider Plate	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2
FLOORS & BRACKETS, in Cell Dble Bottoms						" Bulb Plate to Intercoastal Keelson					
" " state if flanged (top & bottom)						" Horizontal Plates on Floors	4	3	7	4	3
" " Spacing						" Angles	4	3	7	4	3
CENTRE GIRDER, in Double Bottom, depth and thickness						SIDE KEELSON, Angles					
" " Angles, Top						" Bulb or Plate above floors for					
" " Bottom						" Intercoastal Plate for					
SIDE GIRDERS, number on each side & thickness						" Attached to outside plating with Angle					
" " state if flanged (top & bottom)						BILGE KEELSON, Angles .. (G.M.)	5	3	9	5	3
" " Angles						" Bulb or Plate above floors for					
MARGIN PLATE, depth (exclusive of flange) and thickness						" Intercoastal Plate for					
" Angles to Outside Plating						" Attached to outside plating with Angle					
" Floors						BILGE STRINGER Angles					
" Height of Floors at the Bilges						" Bulb Plate for					
INNER BOTTOM PLATING, breadth and thickness of Middle Line Strake						" Intercoastal Plate for					
" thickness in Engine and Boiler space						" Attached to outside plating with Angle					
" " Remainder in Holds						SIDE STRINGER Angles .. (G.M.)	5	3	9	5	3
BEAMS, Main and Raised Quarter Deck, Single Angle, Bulb Angle, Plate or Tee Bulb	5	3	8	5	3	" Bulb or Intercoastal Plate for					
" Angles on Upper Edge						" Attached to outside plating with Angle					
" Spacing						Main and Raised Quarter Deck Stringer Plate, breadth and thickness	23	6	23	6	
BEAMS, Lower Deck, Single Angle, Bulb Angle, Plate or Tee Bulb						" Angle on ditto	3 x 3	6	3 x 3	6	
" Angles on Upper Edge						" Tie Plates, outside Hatchways	7	6	7	6	
" Spacing						" Diagonal Tie Plates on Bms., No. of Pairs					
BEAMS, Hold, Plate or Tee Bulb						" Main Dk* Iron or Steel for space		5		5	
" Angles on Upper Edge						" R. Q. Dk* Iron or Steel for					
" Spacing						" Wood Deck, Material & thickness	3		3		
BEAMS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb						Lower Deck Stringer Plate, breadth and thickness					
" Angles on Upper Edge						" Angles on ditto, No.					
" Spacing						" Tie Plates, outside Hatchways					
BEAMS, Bridge or Pt. Awng. Deck, Angle, Bulb Angle, Plate, or Tee Bulb						" Deck* Material and thickness					
" Angles on Upper Edge						Hold Stringer Plate					
" Spacing						" Angles on ditto, No.					
BEAMS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb						Poop Deck Stringer Plate, breadth & thickness					
" Angles on Upper Edge						" Angle on ditto					
" Spacing						" Tie Plates					
PILLARS, In 'tween Decks, Size and Spacing						" Deck, Material and thickness					
" " Hold						Bridge or Pt. Awng. Deck Stringer Plate, breadth and thickness					
" " Quarter, 'tween Dks.,	2 1/2		As arranged			" Angle on ditto					
" " in Hold						" Tie Plates					
WEB FRAMES, In Fore Body, No. and Spacing						" Deck, Material and thickness					
" " No. of Side Stringers						Forecastle Deck Stringer Plate, brdth & thcknss					
WEB FRAMES, In E. & B. Space, No. & Spacing						" Angle on ditto					
" " Brdth. & Thickness						" Tie Plates					
WEB FRAMES, In After Body, No. and Spacing						" Deck, Material and thickness					
" " Brdth. & Thickness						Are the outside Plates doubled two spaces of Frames in length? Yes					
" " No. of Side Stringers						Are the Sluice Valves and Watertight Doors in efficient working order? Yes					
" " Size of Angles or Tee Bars to Web Frames											
BRACKET PLATES to Stringers between Web Frames, Depth and Thickness											

W137-0089012



