

With or Without
Disconnected Erections.

BARGE
STEEL STEAMER

Received at London On THU. AUG. 20. 1914

State if Report is also sent on the Machinery of the Vessel.

Date of completion of report 19th Aug 1914 Port of Hull
Survey held at New Holland Date, First Survey Dec 19th 1912 Last Survey Aug 12th 1914

On the (State of Single, Twin, or Triple Screw) Dumb Hopper Barge "B.H.C. No 15" Rig ✓

TONNAGE under 263.47 CLASS "Hopper Barge" FEET. Master ✓

Tonnage Deck... Do. between Tonnage Dk. ✓ Year of appointment { (1) As Master in service of owner of present vessel: 191 (2) As Master of this vessel: 191

Total under Upper Dk. ✓ Breadth (greatest moulded) 30.50 Built at New Holland

Do. of Poop ✓ Depth, at middle of length from top of keel to top of upper-deck beams at side } 12.00 When built 1914 Launched 27 July 1914

Do. of R.Q.Dk. ✓ Transverse Number 42.50 By whom built W.H. Warren

Do. of Bridge House ✓ Length on deck from fore part of stem to after part of stern post } 100.00 Owners Blyth Harbour Commissioners

Do. of Forecastle ✓ Longitudinal Number 4250 Managers ✓

Do. of Houses on Dk. ✓ Depth "d," at middle of length (See Secs. 2 & 13) 10.9L Residence Blyth

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19 Port belonging to Blyth

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Do. of excess of Hatchways 10.72 Do. above Crown of Engine Room } Gross Tonnage 274.19

Form No. 1B.

The Surrogors are requested not to arrive on or below the Committee's Minute.

GENERAL REMARKS—(continued).

[Faint, mostly illegible handwritten text in the upper section of the page, likely bleed-through from the reverse side.]

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. ☒ ft., Bridge ☒ ft., Forecastle ☒ ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 1 Dk. (SCL.)
Official No. _____; Signal Letters _____ State if Machinery is fitted aft ☒
How are the surfaces preserved from oxidation? Inside Portland Cement (Bituminous on sides) Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,			Fore peak tank,		
Double bottom, under Engines and Boilers,			After peak tank,		
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,			Other tanks, if fitted,		
Total capacity of double bottom			(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules

Order for Special Survey No. 1990
Date 30/11/12
No. 112 in builder's yard.
DATES of Surveys held while building
1912.-Dec 19. 31 1913.-Feb 22. Mar 6. 18. 31. Apr 2. 17. May 1. 16. Jun 25. July 2. 16. Aug 18. 25.
Sep 8. 22. Oct 3. 7. 13. 14. 15. 17. 20. 23. 28. 30. Nov 3. 6. 7. 11. 13. 18. Dec 1. 2. 5. 8. 10. 12. 15. 19. 22. 31.
1914.-Jan 5. 8. 20. 21. 28. 30. Feb 3. 4. 5. 17. 24. Mar 4. 12. 27. Apr 2. 7. 17. 23. 24. 29. May 6. 20.
Jun 3. 11. 24. 30. Jul 24. Aug 12.
Total No. of Visits 71

Surveyor's Signature R. M. Wright.

