





WEB FRAMES. WEB-FRAMES, In Fore Body, No. and spacing. WEB-FRAMES, In E. & B. Space, No. & spacing. WEB-FRAMES, In After Body, No. and spacing. BULKHEADS. STIFFENERS. RUDDER. PLATING. RIVETING. MASTS, SPARS, &c.

EQUIPMENT No. 31288. LETTER X. ANCHORS. TONNAGE U.D.K. OR PLATING No. FOR TRAWLERS. CHAIN CABLES. HAWSERS AND WARPS. Correspondence. Workmanship. General Remarks. Committee's Minute.



GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 32.4 ft., R.Q.D. ☒ ft., Bridge 217.5 ft., Forecastle 33.7 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

2 Dks (SHL) 7 Bulkheads (6 to Upper Deck)  
No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 2 Dks (SHL)

Official No. 140602; Signal Letters \_\_\_\_\_ State if Machinery is fitted aft no  
How are the surfaces preserved from oxidation? Inside Paint & Portland cement & Bitumastic Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cellular

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity Tons.
Double bottom, aft,	<u>125</u>	<u>409</u>	Fore peak tank,		<u>107</u>
Double bottom, under Engines and Boilers,	<u>35</u>	<u>128</u>	After peak tank,		<u>108</u>
Double bottom, if under Engines only,			Deep tank, aft,		<u>660</u>
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,	<u>156</u>	<u>511</u>	Other tanks, if fitted,		
	Total capacity of double bottom	<u>1048</u>	(If necessary, furnish further information by sketch.)		

\* The wells are not to be included in the lengths of the tanks. 316 State whether the above have been tested as required by the Rules yes

Order for Special Survey No. 607

Date 14th Sept 1916

No. 70 in builder's yard.

DATES of Surveys held while building

From 3rd October 1916 to 28th November 1918.

Surveyor's Signature

E. H. Kendall

Total No. of Visits 72

© 2020

Lloyd's Register Foundation