

With or Without
Disconnected Erections.

STEEL STEAMER.

Received at London Office 1919

Date of completion of report
Survey held at

1st July 1919 Port of Aberdeen
Date, First Survey 10th October 1918
Single Sc. "William Knight"

No. 12251
Last Survey 20th June 1919
Rig Ketch

On the (State if Single, Twin, or Triple Screw)

TONNAGE under

Tonnage Deck

Do. between Tonnage Dk. and 3rd and 4th Dk.

Total under Upper Dk.

Do. of Poop

Do. of R.Q. Dk.

Do. of Bridge House

Do. of Forecastle

Do. of Houses on Dk.

Do. of excess of Hatchways

Room of

pace

Room of

Room

tion Spaces

onnage

Beam

CLASS 100A1

Breadth (greatest moulded)

Depth, at middle of length from top of keel to top of upper deck beams at side

Transverse Number

Length on deck from fore part of stem to after part of stern post

Longitudinal Number

Depth "d," at middle of length (See Secs. 2 & 13)

Proportions—Depth to Length—Upper Deck Beam at side to top of keel

Long Bridge Deck Beam at side to top of keel

Destined Voyage Fishing

Master

Year of appointment

Built at

When built 1919 Launched 3rd April 1919

By whom built The John Duthie & Co. Ltd.

Owners

Managers

Residence

Port belonging to

If Surveyed while Building, Afloat, or in Dry Dock First Entry

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Feet.	Inches.	BREADTH—Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid
125	0	23 4 3/4	125	0	12 9	12	9	one

Form No. 1A

The Surveyors are requested not to write on or below the Committee's Minute

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. 72' ☒ ft., Bridge ☒ ft., Forecastle 22' ☒ ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 10K.

Official No. ; Signal Letters

State if Machinery is fitted aft

How are the surfaces preserved from oxidation? Inside

Portland Cement & Paint

Outside

Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,			Fore peak tank,		
Double bottom, under Engines and Boilers,			After peak tank,		
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,			Other tanks, if fitted, Fresh water tank at B.H. 43	3.5	11.5
Total capacity of double bottom			(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules

yes

Order for Special Survey No. 1612

Date 22nd June 1918

No. 450 in builder's yard.

Dates of Surveys held while building

1918 Oct. 10-15-17-25-30. Nov. 5-14-18-29 Dec. 4-9-17. 1919 Jan. 8-27 Feb. 3-11-17-28
Mar. 3-5-12 April 1-3-10-23 May 7-20 June 9-10-11-20

Surveyor's Signature

H. Wilson

© 2021
Total No. of Visits 31

Lloyd's Register
Foundation