

With or Without
Disconnected Erections.

STEEL STEAMER.

Received at London Office 3 JAN 1920

Date of completion of report 3 JAN 1920 Port of Ipswich No. 82560
Survey held at Lowestoft Date, First Survey 12-10-1918 Last Survey 12-12-1919
On the (State if Single, Twin, or Triple Screw) Single Screw; Drifter "Current" Rig Ketch
CLASS 100 A.1. *Fishing* Master
TONNAGE under Tonnage Deck... 96.67 Year of appointment
Do. between Tonnage Dk. and 3rd and 4th Dk. Breadth (greatest moulded) 18'5"
Total under Upper Dk. Depth, at middle of length from top of keel to top of upper deck beams at side 10'0"
Do. of Poop Transverse Number 28.50
Do. of R.Q.Dk. Length on deck from fore part of stem to after part of stern post 86'0"
Do. of Bridge House Longitudinal Number 24.51
Do. of Forecastle Depth "d," at middle of length (See Secs. 2 & 13) 8'8.3"
Do. of Houses on Dk. Proportions—Depths to Length—Upper Deck Beams at side to top of keel 8'6"
Hatchways
" " Long Bridge Deck
" " Beam at side to top of keel
Destined Voyage If Surveyed while Building, Afloat, or in Dry Dock Building + Afloat

Deck	Feet.	Inches.	BREADTH—	Feet.	Inches.	DEPTH, ACTUAL—	Feet.	Inches.	No. of Decks with flat laid
1	86	0	Moulded	18	6	Top of Floors to top of Upper Dk. Beams	9	4	one
2						do. do. Second Dk. Beams			one
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									
23									
24									
25									
26									
27									
28									
29									
30									
31									
32									
33									
34									
35									
36									
37									
38									
39									
40									
41									
42									
43									
44									
45									
46									
47									
48									
49									
50									
51									
52									
53									
54									
55									
56									
57									
58									
59									
60									
61									
62									
63									
64									
65									
66									
67									
68									
69									
70									
71									
72									
73									
74									
75									
76									
77									
78									
79									
80									
81									
82									
83									
84									
85									
86									
87									
88									
89									
90									
91									
92									
93									
94									
95									
96									
97									
98									
99									
100									

Form No. 1A. WEB FRAMES, In Fore Body, No. and spacing. BULKHEADS. W.T. BULKHEADS. COLLISION. PARTITION. LONGITUDINAL. PLATING. STRAKES. KEEL, Bar, depth and thickness. STEM, moulding and thickness. STERN-POST for Rudder do. do. RUDDER-A x D* Table 22. Speed. Main-Piece, diameter at head. RUDDER, how constructed. Thickness of Plates or Single Plate. Manufacturer's name or trade mark of the Iron or Steel. RIVETING. BUTTS. EDGES. UPPER DECK. STRINGER PLATE. SECOND DECK. STRINGER PLATE. FRAMES extend in one length from. REVERSED FRAMES on floors and frames extend from. MASTS, SPARS, &c. LOWER MASTS. BOWSPRIT. RIGGING, Material and Size, Shrouds. Sails.

EQUIPMENT No. LETTER ANCHORS. TONNAGE U.D.K. OR PLATING No. FOR TRAWLERS. CHAIN CABLES. HAWSERS AND WARPS. Boats ONE. Steering Gear, Steam. Steering Gear, Hand. Pumps, Number. Windlass is. Engine Room Skylights. Coal Bunker Openings. Number of Scuppers. Ceiling in Holds. Cargo Hatchways. State size No. 1 Hatch. Number of Web Plates. Bulwarks, height above deck. Builder's Signature. Correspondence. Workmanship. Is the riveted work properly closed. Are the liners between the frames and plates solid single pieces. Are the butts of plating, stringers, &c., properly shifted and strapped. Have all the upper and weather decks been tested as required by the Rules. Have all the gutterways been tested as required by the Rules. General Remarks. The Surveyor should state the Number of Report and Name of any Sister Vessel. The amount of Entry Fee. Special Survey Fee. Travelling Expenses, if any. I am of opinion this Vessel should be Classed. With, or without Freeboard, as condition of Class. Committee's Minute. Character assigned. Lloyd's Register Foundation.

GENERAL REMARKS—(continued).

General Remarks section with horizontal lines for handwritten notes.

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop _____ ft., R.Q.D. _____ ft., Bridge _____ ft., Forecastle _____ ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given, should appear in the Register Book) *1 Deck Steel (Wood sheathing over Fish Hold)*
 Official No. ☒; Signal Letters ☒ State if Machinery is fitted aft *Yes*
 How are the surfaces preserved from oxidation? Inside *Cement & paint* Outside *Paint*

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water
Double bottom, aft,			Fore peak tank,		
Double bottom, under Engines and Boilers,			After peak tank,		
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,			Other tanks, if fitted,		
			(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules

Order for Special Survey No.

Date

No. *499* in builder's yard.

DATES of Surveys held while building

*1918: - Oct 12 19. Nov 2 12 18 Dec 6. (1919) Jan 14 20. Mar 11 21. Apr 9. 25 29. May 7. 13. 19
 June 27. July 11. 31 Aug 12 Sep 24 Oct 9. Nov 4. 19 Dec 3. 5. 12*

Surveyor's Signature

A. B. Farmer

© 2021

Total No. of Visits

Lloyd's Register Foundation