

No. 578.G.

"D ORSETSHIRE"

GLASGOW REPORT No. 39990.



© 2020

Lloyd's Register
Foundation

W1647-0194 (1/5)

W1647-0194 (2/5) 4 (3/5)

7.5.20.

LIST OF MOTORS

Per Hour.

One 23 H.P. Motor driving Rees Roturbo Sanitary pump,	170 Tons
One 23 " " " " " Cir. water "	170 "
Two 6 " " each " Piston cooling pump 6" x 6"	40 "
One 8 " " " Cogwheel fuel oil"	20 "
Three 8 " " " " Lubc. " "	35 "
Two 6.H.P. " " " Bilge pumps 6" x 6"	40 "
One 22 " " " Ballast pump 10" x 10".	200 "
One 3-1/2 H.P. " " " Fresh water pump 4-1/2" x 5"	20 "
Two 120 " " " Man. air compressor 9.2 M ³ per hour.	



© 2020

Lloyd's Register
Foundation

W1647-0194 (2/5) 4 (3/5)

W1647-0195

7.5.20.

No. 578.G. - "DORSETSHIRE"

THE FOLLOWING SPARE PARTS ARE SUPPLIED.

MAIN ENGINE:

- 1 Pair connecting rod bushes, lower end with bolts.
- 1 " " " " upper " " "
- 1 " Main bearing bushes.
- 1 Piston & rod.
- 4 Sets Piston rings.
- 12 Exhaust valves with casing, springs, etc., complete.
- 2 Starting valves with casing, springs, etc., complete.
- 2 Rollers of each size with pins.
- 1 Set Fuel oil plungers.
- 1 Set air compressor valves complete.
- 1 Safety valves for air compressor.
- 1 Set of Piston rings for air compressor.
- 1 Pair bushes for upper and lower end of air compressor connecting rod with bolts.
- 1 Complete set of springs for one engine.
- 1 Set of packing for all glands in one engine
- 1 Set of studs and nuts for cylinder cover
- 1 Cylinder cover without valves
- 1 Expander for fuel valve tubes in cover
- 1 Set of pipes for piston cooling gear.
- 1 Cooling coil for H.P. air compressor.
- 1 Complete set of working parts for one fuel pump plunger.
- 4 Main bearing studs and nuts.
- 1 Blast air inlet pipe and connections
- 1 Fuel oil pipe and connections,
- 1 Air delivery pipe from compressor to air bottles, with flange and coupling
- 2 Fuel valve spindles.
- 6 Fuel valves with casing, springs, etc., complete.

AUXILIARY ENGINES;


- 1 Pair connecting rod bushes, upper end.
- 1 " " " " lower end with bolts.
- 1 Pair main bearing bushes
- 2 Sets Piston rings,
- 4 Fuel valve spindles.
- 2 Fuel valves with casings complete.
- Exhaust valves with casings complete.
- 1 Starting valve with casings complete.
- 1 Complete set of springs for one engine.
- 1 Set of valves for fuel pump
- 1 Complete set of working parts for one fuel oil pump plunger.
- Sets air compressor valves.
- 1 Set piston rings for one air compressor
- 1 H.P. Cooling coil
- 1 L.P. " "
- 4 Main bearing studs and nuts,
- 1 Cylinder cover,

MANOEUVRING AIR COMPRESSORS.

- 1 Complete set of valves,
- 1 Set Piston rings.
- 1 Pair conn. rod bushes, upper end,
- 1 " " " " lower "

AUXILIARY MACHINERY;

- 1 Set valves (Suction & delivery) for fresh water pump.
- 1 Set Valves (" " ") for Bilge pump
- 1 " " (" " ") for ballast pump
- 1 " " (" " ") for piston cooling pump
- 1/2 " " (" " ") for feed pump
- 1 " " for emergency air compressor.



CONTD. -

- 3 -

BOILER:

- 1 Spring for safety valve,
- 1 Valve for feed check valve
- 6 Water gauge glasses and 24 packing rings,
1. 10-in Firebrick quarls (4 pieces)
- 1 Small type thermometer for oil fuel.

SHAFTING:

- 1 Set tunnel shaft coup. bolts and nuts
- 2 Propeller blades, one right and one left hand.
- 1 Set Crankshaft coupling bolts and nuts.
- 8 Studs and nuts for propeller blades
- 1 Set propeller wedges.
- 2 Steel shores for withdrawing propeller.

ELECTRIC MACHINERY;

- 3 Sets brushes for dynamos.
- 2 " " for Cir. and Sanitary pump motors.
- 2 " " for Bilge pump motor.
- 2 " " for piston cooling pump motors.
- 3 " " for Lube.oil pump motor.
- 1 " " for ballast pump motor.
- 1 " " for oil fuel pump motor.
- 2 " " for manoeuvring air compr. motors.
- 2 " " for Turning gear motors.
- 1 " " for lathe motor.
- 1 " " for drilling machine motor.
- 1 " " for fresh water pump motor.



© 2020

Lloyd's Register
Foundation

W1647-0194 (SIS)

W1647-0195