

GENERAL REMARKS—(continued).

WEB FRAM
MES. In Fore Bo
of Side Stringe
MES. In E. & B.
MES. In After B
No. of Side Stringe
e of Face Angles
T PLATES to
mes, depth and
EADS. Numt
Vessel.
AHEADS 8,
DN ..
ON ..
DINAL..
tside Plates dot
ices Valves and
RAKES.
ATE KEEL.....
el, state Ricting.)
D or A Stra
B ..
C ..
D ..
E ..
F ..
G ..
H ..
J ..
K ..
L ..
M ..
N ..
O ..
P ..
Q ..
R ..
S ..
T ..
U ..
V ..
W ..

SSOF SHE
OF LONG B
OF STRAKI
f Flat Pla
Sheers
h and thie
SIDES
BRIDGE
ASTLE SI

er Dec
ger Pla
desk
er Dec
ger Pl

MES ex
ERSEI

ER M
prit
nasts.
ring,
s.

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ft., R.Q.D. ft., Bridge ft., Forecastle *on Shelter 40*
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) *1 Dk (Stl) & Shelter Dk (Stl), 2 Dk (Stl) in 3 forward Holds & after Main Hold, 6 Dks to Shelter Dk, 2 to Upper Dk.*
Official No. *140658*; Signal Letters
How are the surfaces preserved from oxidation? Inside *Paint & Portland Cement & Bitumastic* Outside *Paint*
State if Machinery is fitted aft *no*.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors *Cellular*.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	120 ✓	511 ✓	Fore peak tank,		
Double bottom, under Engines and Boilers,	41 ✓	213 ✓	After peak tank,		
Double bottom, if under Engines only,			Deep tank, aft,	23.3 ✓	120
Double bottom, if under Boilers only,			Deep tank, forward,		858
Double bottom, forward,	182 ✓	847 ✓	Other tanks, if fitted,		
	Total capacity of double bottom	1571 ✓	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks. *343*

State whether the above have been tested as required by the Rules *Yes* ✓

Order for Special Survey No. *656*

Date *9th Aug 1918*

No. *538* in builder's yard.

DATES of Surveys held while building

From 19th Decr 1918 to 9th October 1919.

Surveyor's Signature *L. Kendall*

© 2021

Total No. of Visits *46*

Lloyd's Register Foundation