

GENERAL REMARKS—(continued).

[Faint, mostly illegible handwritten notes and sketches are visible in this section.]

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 61.2 ft., R.Q.D. 143.5 ft., Bridge 13.7 ft., Forecastle 29.6 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated R.Q. Deck is joined to bridge and poop is noted on R.Q. Deck.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) One deck: part Iron, part Steel. Iron when exposed. One tier of beams.

Official No. 133551; Signal Letters _____ State if Machinery is fitted aft Yes.

How are the surfaces preserved from oxidation? Inside Cement Mortar and enamel Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. Cellular.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,			Fore peak tank,	<u>24.5</u>	<u>130</u>
Double bottom, under Engines and Boilers,			After peak tank,	<u>9.79</u>	<u>25</u>
Double bottom, if under Engines only,	<u>23.5</u>	<u>48</u>	Deep tank, aft,		
Double bottom, if under Boilers only,	<u>17.62</u>	<u>21</u>	Deep tank, forward,		
Double bottom, forward,	<u>172.33</u>	<u>413</u>	Other tanks, if fitted,		
	Total capacity of double bottom	<u>482</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks. State whether the above have been tested as required by the Rules Yes.

Order for Special Survey No. 4465

Date 19.11.1913

No. 176 in builder's yard.

Surveyor's Signature E. J. Milson

DATE OF SURVEYS held while building

1913
Oct. 3. 6. 7. 9. 10. 15. 16. 24. 30. 31. Nov. 4. 5. 13. 17. 18. Dec. 2. 4. 11. 15. 24 Jan. 6. 13. 22. 26. Feb. 5. 9. 13. 19. 23. 26. Mar. 2. 6. 7. 10. Apr. 2. 16. 18.

Total No. of Visits 37