









GENERAL REMARKS—

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 149.62 ft., R.Q.D. ✓ ft., Bridge 113.33 ft., Forecastle 39.75 ft.  
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ✓

No. and Material of Decks and No. of tiers of Beams (this information is to be given as it should appear in the Register Book)

2 Dks. 2 Tiers Bms

Official No. 141926

Signal Letters

State if Machinery is fitted aft No

If bottom of Vessel has been coated Inside Cement (see letter) Outside PAINT give particulars of paint or other composition

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system. Yes

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>119.16</u>	<u>363</u>	Fore peak tank,		<u>118</u>
Double bottom, under Engines and Boilers,	<u>39.0</u>	<u>165</u>	After peak tank,		<u>203</u>
Double bottom, if under Engines only,	<u>✓</u>	<u>✓</u>	Deep tank, aft,	<u>✓</u>	<u>✓</u>
Double bottom, if under Boilers only,	<u>✓</u>	<u>✓</u>	Deep tank, forward,	<u>✓</u>	<u>✓</u>
Double bottom, forward,	<u>179.83</u>	<u>585</u>	Other tanks, if fitted,		
Total capacity of double bottom		<u>1113</u>	(If necessary, furnish further information by sketch.)		

\* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules Yes


Order for Special Survey No.

Date

No. 328 in builder's yard.

DATES OF SURVEYS held while building

Surveyor's Signature



© 2019

Register Foundation