



*All communications to be addressed to—*  
**THE SURVEYORS.**

E

Dear Sir,

N.V. Wilton-Fyenoord, Schiedam, Yard no. 669.  
Werkspoor Boilers 2878/9/80

We duly received your letter E. of the 24th instant returning a copy of the amended plan of the above boilers as approved by your good selves.

With regard thereto we have, however, to state that this plan has again been amended as the marking of the stay tubes was omitted erroneously from the plan.

A new plan, in duplicate, is therefore being forwarded to you under separate cover and we shall be glad if you will kindly return one copy to this office when dealt with.

The previous plan may be cancelled.

We are, Dear Sir,

Yours faithfully,

The Secretary,  
London.

© 2019

W290-0044




Referred to the Chief Engineer Surveyor

29 MAR 1939

*Handwritten signature*

The Secretary,  
London.



London, 29th March 1939.

The enclosed copy of the report of the

Admiralty is for your information.

The report is for your information and for the information of the Admiralty.

The report is for your information and for the information of the Admiralty.

The report is for your information and for the information of the Admiralty.

The report is for your information and for the information of the Admiralty.

The report is for your information and for the information of the Admiralty.

The report is for your information and for the information of the Admiralty.

The report is for your information and for the information of the Admiralty.

The report is for your information and for the information of the Admiralty.

The report is for your information and for the information of the Admiralty.

The report is for your information and for the information of the Admiralty.



The report is for your information and for the information of the Admiralty.

The report is for your information and for the information of the Admiralty.

The report is for your information and for the information of the Admiralty.



© 2019

Lloyd's Register  
Foundation