

d Frames, Angles	on floor from	2 1/2	2 1/2	.25	2 1/2	2 1/2	25	✓	Rudder, diameter of Head and Main piece	04
	on Machinery Space	4	4	.40	4	4	.40	✓		

3m.6.21.

1

Sent to Chief Surveyors \_\_\_\_\_ Received from Chief Surveyors \_\_\_\_\_  
 VESSEL'S NAME St. Y. S. Mingary Report GB No. 45771

**For the CHIEF SHIP SURVEYOR and CHIEF ENGINEER SURVEYOR.**

(In cases which have to be submitted to the Classing Committee "the endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/22.)

Nature of Survey First Entry When due \_\_\_\_\_

✱ 100 A. I. (stub)  
 5-BH. pt. am. pt. asph.  
 Lays to A & C.P. 1 1/2" (pt. stub - leak 5)  
 BK. 6" DTA 3t DT 11t.

in V.R.

*Wm. M. M. M.*



© 2000  
 2.7.16  
 Lloyd's Register  
 Foundation

W315-0046

Cabin Sole Beams	for?	2 1/2 x 1/2 @ 43"	2 1/2 x 1/4 @ 43"	Angles	Steel
------------------	------	-------------------	-------------------	--------	-------

State whether Framing and Plating are of Iron or Steel Steel