

With or Without Disconnected Erections.

STEEL STEAMER.

Received at London Office SAT 12 MAR 1917

Date of completion of report 2nd March 1917 Port of Kobe No. 2005
Survey held at Kobe Date, First Survey 6th Jan 1916 Last Survey 27th February 1917

On the (State if Single, Twin, or Triple Screw) Steel Single Screw Steamer "Ayaha maru" Rig 2 masts

TONNAGE under 4826.39 CLASS +100A FEET. Master L. Iki

Tonnage Deck... Breadth (greatest moulded)... 54.5

Do. between Tonnage Dk. and 3rd and 4th Dk. Depth, at middle of length from top of keel to top of upper deck beams at side... 30.0

Total under Upper Dk. Transverse Number... 84.5

Do. of Poop Length on deck from fore part of stem to after part of stern post... 400.0

Do. of R.Q.Dk. Longitudinal Number... 338.00

Do. of Bridge House Depth "d," at middle of length (See Secs. 2 & 13)... 18.2

Do. of Forecastle Proportions—Depths to Length—Upper Deck Beam at side to top of keel... 13.3

Do. of Houses on Dk. Long Bridge Deck Beam at side to top of keel... 10.6

Do. of excess of Hatchways Gross Tonnage 5722.87

Do. above Crown of Engine Room Less Crew Space 207.10

Do. of excess of Hatchways Less above Crown of Engine Room 55.38

TONNAGE FOR FEES... 3564.01

Destined Voyage If Surveyed while Building, Afloat, or in Dry Dock Building

Ship per Register, Length 400 breadth 54.5 depth 30.0 Moulded depth, ft. 37 ins. 9 To Bridge Dk. Round of Upper 13 5/8 ins.

Moulded depth, ft. 30 ins. 6 To Upper Dk. Dk. Beam, Actual 13 5/8 ins.

FRAMING. Inches in Ship. Inches in Ship. Inches in Ship. Inches in Ship. Inches in Ship. Inches in Ship.

Double Bottoms at Solid Floors... 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

Double Bottoms at intermdt. Bkts. 33 33 33 33 33 33

of writing Report 18
in Survey held at
Book. on the

ster J. M.

ines made at

lers made at

istered Horse Power

n. Horse Power as per

GINES, &c.—De

. of Cylinders 26

the screw shaft fitted

the propeller boss

ween the bearings in

ers are fitted, is the

a. of Tunnel shaft

lars 13 7/8 Dia. of

. of Feed pumps 2 W

. of Bilge pumps 2

. of Donkey Engines

Engine Room Jk

. of Bilge Injections

re all the bilge suction p

re all connections with

re they sized sufficiently

re they each fitted with

that pipes are carried

re. all Pipes, Cocks, V

re the Bilge Suction

ates of examination

the Screw Shaft T

ILERS, &c.—

total Heating Surfa

orking Pressure

an each boiler be wa

ach boiler Jw

Smallest distance betwe

Thickness 17 Ro

ing. seams Jw

Per centages of streng

Size of compensating

Length of plain part

Working pressure of f

Pitch of stays to ditto

Material of stays

Material of stays

Section Diameter at smaller

Thickness 3/4 Ma

Diameter of tubes

Pitch across wid

thickness of girder

Working pressure

separately

holes Pitch

If stiffened with rin

Working pressure

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 38 ft., R.Q.D. ☒ ft., Bridge 121 ft., Forecastle 140 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given should appear in the Register Book) 2 bks. (stl)

Official No. 19763 ; Signal Letters NFLM

State if Machinery is fitted aft No

How are the surfaces preserved from oxidation? Inside Cement & paint

Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors

Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	134.75	355.2
Double bottom, under Engines and Boilers,	24.75	97.4
Double bottom, if under Engines only,	22	
Double bottom, if under Boilers only,	140.25	543.5
Double bottom, forward,		
Total capacity of double bottom		996.1

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. Yes

Order for Special Survey No.

Date

No. 65 in builder's yard.

Dates of Surveys held while building

6-13 Jan. 8-15 28 Feb. 15-17 25-29 Mar. 18 April 15 May 1-15 19 June 3-10 20-27 July 2-5 21-24 25-30 Aug. 2-4 7-14 16 26-29 Sept. 7-10 13-19 21-24 27-31 Oct. 1-13 27 Nov. 7-10 11-13 16-20 26 Dec. 1916 6-8 10-12 14-15 19-27 Jan. 3-7 10-12 21-23 27 Feb. 1917

Total No. of Visits

Surveyor's Signature

Arthur H. Jones

Lloyd's Register Foundation