

Form No. 12. WEB FRAMES. TWEEN DECKS. WEB-FRAMES, In Fore-body, No. and spacing. WEB-FRAMES, In E. & B. Space, No. & spacing. BULKHEADS. W.T. BULKHEADS. COLLISION. LONGITUDINAL. PLATING. STRAKES. AS IN SHIP. PER RULE OR AS APPROVED. RIVETING. EDGES. BUTTS. STRAPS. IF LAPPED. Lower Masts. Main Masts. Bowsprit. Topmasts. Rigging. Sails. MASTS, SPARS, &c.

EQUIPMENT No. 31590 LETTER X ANCHORS. CHAIN CABLES. HAWSERS AND WARPS. Boats. Steering Gear, Steam. Steering Gear, Hand. Pumps, Number. Windlass. Engine Room Skylights. Capstan. Cargo Hatchways. Bulwarks. Correspondence. Workmanship. The amount of Entry Fee. Special Survey Fee. Travelling Expenses. State whether the Vessel has been built under Special Survey. I am of opinion this Vessel should be Classed. With, or without Freeboard, as condition of Class. Committee's Minute. Character assigned. 100A1. Sheen d & wick fld. Lloyds A & B P. W. H. W. C. L. Lloyd's Register Foundation.

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ✓ ft., R.Q.D. ✓ ft., Bridge ✓ ft., Forecastle 31
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated *Complete shelter deck without tannage opening.*

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) *1 DK (STL) and SHELTER DK (STL)*

Official No. ✓ ; Signal Letters ✓ State if Machinery is fitted aft *No*
How are the surfaces preserved from oxidation? Inside *Portland cement & paint* Outside *Paint*

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors *Cell. D. bottom*

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	133-4	409	Fore peak tank,		
Double bottom, under Engines and Boilers,			After peak tank,		180
Double bottom, if under Engines only,	22-11	98	Deep tank, aft,	15-0	790
Double bottom, if under Boilers only, <i>Dry tank not tested</i>			Deep tank, forward,		
Double bottom, forward,	154-2	545	Other tanks, if fitted,		
	Total capacity of double bottom	1052	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks. State whether the above have been tested as required by the Rules. *Yes*

Order for Special Survey No. *4873*
Date *19.12.19.*
No. *256* in builder's yard.

DATES OF SURVEYS held while building
1920. Feb. 25. 26. Mar. 9. 12. 23. 25. 29. Apr. 7. 13. 14. 19. 28. May. 4. 7. 13. 28. 31. Jun. 2. 9. 10. Jul. 1. 6. 9. 14. 19. 29. 31. Aug. 4. 8. 19. 24. 31. Sep. 6. 9. 15. 22. 24. 28. 30. Oct. 4. 8. 9. 19. 22. Nov. 2. 10. 1921. Jan. 11. 12. 25. Feb. 3. 4. 5. 21. 22. 25. Mar. 1.

Surveyor's Signature *W. E. Bryan. Alex. Munro*

Total No. of Visits *58.*