

Angles, or ☐ or ☐ Bars, amidships
n. peak ANGLER

	✓			✓	
6	3½	36	46	3½	36

PILLARS, In 'tween Deck, size and spacing
" " Hold " " As per approval

1

Sent to Chief Surveyors

Received from Chief Surveyors

VESSEL'S NAME *Steel S.S. "COLIN H. LIVINGSTONE"* port Bal. No. 3050

For the CHIEF SHIP SURVEYOR ~~CHIEF ENGINEER~~

(In cases which have to be submitted to the Classing Committee "the endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/6/82.)

Nature of Survey

When due

* 100 A — (steel) "Shelter Dk with freeboard"
1 Dk (steel) & Shelter Dk. (steel). Webframes.

"longitudinal Framing".

Cell DB 349' 1360t. MT 30' 587t. FPT 73t. APT 46t.

FK. 3 BH to Shelter Dk. 4 BH to upper Dk. Conn.

P 34', F 38' on Shelter Dk.

See case

M
RES
11-12-20
© 2020
Lloyd's Register
W389-0184

S, Second, Third & Fourth Deck, Single
angle, Bulb Angle, Plate, Tee Bulb or Channel
angles on upper edge

" Tie Plates, outside Hatchways
" Deck, Material and thickness
Poop Deck Stringer Plate, breadth & thickness

36	30	36
----	----	----