

MASTS, SPARS, &c.											
	Material.	Total Length.	DIAMETER AND THICKNESS.				No. of Plates in round.	ANGLES.		RIVETING.	
			At Partners.	Heel.	Round.	Head.		Number.	Size.	Seams.	Butts.
LOWER MASTS.....	Fore	Two	Steel	masts							
	Main										
	Mizen.....										
Bowsprit											
Topmasts, Yards and Remainder of Spars			Steel topmasts. Steel tubular derricks								
Rigging, Material and Size, Shrouds			Steel wire Stays Steel wire.								
Sails.	none	Suit of	-	Sails, and the following spare sails				-			

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

and
ft., B.D. ft., Bridge 185.8 ft., Forecastle 33.7
Poop and bridge combined.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given should appear in the Register Book) 2 steel decks

Official No. ; Signal Letters State if Machinery is fitted aft

no.

How are the surfaces preserved from oxidation? Inside Paint; cement on bottom.

Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Ca Tons
Double bottom, aft,	48	64	Fore peak tank,	18	57
Double bottom, under Engines and Boilers,	28	40	After peak tank,	14	1
Double bottom, if under Engines only,	108	203	Deep tank, aft,	-	-
Double bottom, if under Boilers only,			Deep tank, forward,	-	-
Double bottom, forward,			Other tanks, if fitted, Drinking Water. Frames 33-37 in 7-8		
Total capacity of double bottom 307			(If necessary, furnish further information by sketch. Double bottom yes		
* The wells are not to be included in the lengths of the tanks. 184 312			State whether the above have been tested as required by the Rules		

Order for Special Survey No.

Date

No.

in builder's yard.

DATES of Surveys
held while building

Dec 1. 2 6. 8. 10. 17. 20. 31.

Surveyor's Signature

C.H. Dean

Total No. of Visits

© 2020

Lloyd's Register
Foundation