





Twin. MASTS, SPARS, &c.											
	Material.	Total Length.	DIAMETER AND THICKNESS.				No. of Plates in round.	ANGLES.		RIVETING.	
			At Partners.	Heel.	Hounds.	Head.		Number.	Size.	Soams.	Butts.
LOWER MASTS.....	Fore .....	52'-6"	23"x 1/2"	23"x 1/2"	15"x 3/4"	15"x 3/4"	2	✓		Double	treble
	Main .....	"	23"x 1/2"	23"x 1/2"	"	"	2.				
	Mizen.....	"	23"x 1/2"	23"x 1/2"	"	"	"				
Bowsprit	Length of Mast. Pole measured from deck below. Bridge in Mk. riveted on Dk.										
Topmasts, Yards and Remainder of Spars											
Rigging, Material and Size, Shrouds	2 x 4" Diagonal Stay. Stays 4"										
Sails.	✓	Suit of	Sails, and the following spare sails								

1871



GENERAL REMARKS—(continued).

Rpt. 4a.

Date of writing

No. in Reg. Book

Master

Engines

Boilers m  
Hamm  
Registered

Shaft Ho

TURBIN

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 30.1 ft., R.Q.D. ✓ ft., Bridge 212.3 ft., Forecastle 24.2 ft.  
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated not joined.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book) One Steel Deck

Official No. \_\_\_\_\_; Signal Letters \_\_\_\_\_ State if Machinery is fitted aft No.  
How are the surfaces preserved from oxidation? Inside Cement and Paint. Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. Cell System

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>91.9</u>	<u>263</u>	Fore peak tank,	<u>17.1</u>	<u>91</u>
Double bottom, under Engines and Boilers,			After peak tank,	<u>24.1</u>	<u>155</u>
Double bottom, if under Engines only,	<u>14.25</u>	<u>65</u>	Deep tank, aft,		
Double bottom, if under Boilers only, <u>Dry tank.</u>	<u>18.4</u>		Deep tank, forward,		
Double bottom, forward,	<u>159.25</u>	<u>548</u>	Other tanks, if fitted, <u>Oil fuel tank.</u>		<u>187.</u>
	Total capacity of double bottom <u>876</u>		(If necessary, furnish further information by sketch.)		

\* The wells are not to be included in the lengths of the tanks. 273.60

State whether the above have been tested as required by the Rules. Yes also Dry tank

Order for Special Survey No. 618.

Date 28/2. 20.

No. 483. in builder's yard.

DATES of Surveys held while building

1920. 22/9. 8/11. 2/12  
1921. 11/1. 4.16/2. 31/3. 14/4. 23.27/5. 3.30/6. 13/7. 5.19.25/8. 6.12.14/9  
14/10. 30/11.  
1922. 24/1. 26.30/1. 2/2.

Total No. of Visits 25

Surveyor's Signature

P. J. Reuvenburg

© 2019

Lloyd's Register Foundation