

Lloyd's Register of Shipping.

SURVEYS FOR FREEBOARD.-STEAM SHIPS.

PARTICULARS RELATING TO ALL STEAM SHIPS EITHER FLUSH DECKED, OR WITH TOP GALLANT FORECASTLES, SHORT POOPS AND BRIDGE HOUSES DISCONNECTED, OR WITH TOP GALLANT FORECASTLES HAVING LONG POOPS, OR RAISED QUARTER DECKS CONNECTED WITH BRIDGE HOUSES, OR OTHERWISE.

Port of Survey *Dunedin*
Date of Survey *22-11-32*
Name of Surveyor

| Ship's Name. | Port of Registry and Nationality. | Official Number. | Gross Tonnage. | Date of Build. | Particulars of Classification. |
|-------------------------|-------------------------------------|------------------|----------------|----------------|--------------------------------|
| " <i>WAIKOUAITI</i> " | <i>WELLINGTON</i> <i>BRITISH</i> | <i>143151</i> | <i>3926</i> | <i>1914-12</i> | <i>+100 A1</i> |
| Number in Register Book | | | | | |

| Registered Dimensions from Ship's Register. | LENGTH. | BREADTH. | DEPTH. | UNDER DECK TONNAGE. |
|---|--------------|---|--|-------------------------------|
| | <i>362.4</i> | <i>50.9</i> | <i>23.7</i> | <i>3390</i> |
| Length on LOADLINE. | <i>362</i> | Frame Depth <i>8</i> Rule <i>5 1/2</i> <i>2 1/2</i> <i>- .41</i> | Ceiling <i>+ .20</i> Sheer <i>+ .91</i> | Peak } <i>INCL</i> Tanks } |
| CORRECTED DIMENSIONS. | <i>362</i> | <i>49.59</i> | <i>24.81</i> | <i>3390</i> |

Co-efficient of fineness..... *.46*
Any modification necessary [Para. 4 (a) to (e)]* *C.D.B.*
Co-efficient as corrected *.44*

Sheer at Stem..... *112*
at Sternpost... *41*
 $153 \div 2 = 76.5$...Mean
Sheer at $\frac{1}{2}$ of the length from Stem *40.5*
Sternpost *16.5* $87 \div 2 = 43.5$...Mean
Gradual mean Sheer *allowed* *44.80*
Standard mean Sheer [Table, Para. 18] *46.20* Correction
Difference..... *31.60* $\div 4 = 7.90$
§ If limited as Para. 18 (f) *8"*

Rise in Sheer from amidships [Para. 18 (e)]
At front of bridge house.....
At after end of forecastle

Fall in Sheer Para. 18 (d) $\div 2 =$
Length uncovered Correction

ALLOWANCE FOR DECK ERECTIONS :—
Freeboard, Table C..... *2'-10 3/4"*
Correction for Length, if required (Para. 12, 13, and 14)
Freeboard by Table A, corrected for sheer, and for length, if required (Para. 11, 12, 13, and 14) *5'-3 1/4"*
Difference *2'-4 1/2"*
Percentage as below..... *57.5*
16.25

Correction for R. Q. Dk. if engine and boiler openings not covered by bridge house (Para. 11)
Allowance for Deck Erections *1'-4 1/4"*

| | Length. | Length allowed. | Height. |
|---|--------------|-----------------|-------------|
| Forecastle..... | <i>46.2</i> | <i>46.38</i> | <i>8.0</i> |
| Bridge House..... | <i>.6</i> | | |
| + Raised Qr. Dk..... | <i>233.2</i> | <i>233.20</i> | <i>8.0</i> |
| Poop..... | <i>2.0</i> | <i>1.00</i> | |
| Total..... | <i>282.0</i> | <i>280.58</i> | |
| Length of Ship..... | <i>362</i> | <i>362</i> | <i>.445</i> |
| Corresponding percentage (Para. 11, 12, 13, or 14)..... | <i>57.5</i> | | |

| SUMMER FREEBOARD amidships from Centre of Disc to top of Deck Line, <i>STEEL</i> , Deck :— | | | |
|--|-----------------------|--------------------------------|---------------------------|
| Tropical Fresh Water Line above Centre of Disc | ... <i>10"</i> ... | Tropical Fresh Water Freeboard | ... <i>3'-6"</i> ... |
| Fresh Water Line | ... <i>5 1/2"</i> ... | Fresh Water | ... <i>2'-8"</i> ... |
| Tropical Line | ... <i>4 1/2"</i> ... | Tropical | ... <i>3'-0 1/2"</i> ... |
| Winter Line below | ... <i>4 1/2"</i> ... | Winter | ... <i>3'-1 1/2"</i> ... |
| Winter North Atlantic Line | ... <i>6 1/2"</i> ... | Winter North Atlantic | ... <i>3'-10 1/2"</i> ... |

25 NOV 1932
RECEIVED
110 JUN 1936
RECEIVED

Moulded Depth as measured..... *26'-2"*
Addition for Keel below base line for draught record..... inches.

CORRECTION FOR LENGTH.
Length of Ship on Loadline..... *362*
Length in Table *314*
Difference *48*
Correction for 10ft., Table A. *.14* Table C.
 \times Difference divided by 10 *6.72* (if required.)
If $\frac{1}{10}$ ths length covered divide by 2 *3.36*

CORRECTION FOR IRON DECK.
Proportion covered, if less than $\frac{1}{10}$ ths length covered *479* covered
Thickness of usual wood deck, less stringer *3.345*

CORRECTION FOR ROUND OF BEAM.
Breadth at Gunwale amidships..... *50*
Round of Beam *12.5*
Normal round..... *12.5*
Difference $\div 2 =$
Proportion of Deck uncovered (Para. 19) *✓*

Freeboard, Table A *5'-10 3/4"*
Correction for Sheer *61* *8*
5'-2 3/4"
Correction for Length *61* *3 1/4"*
5'-6"
Allowance for Deck Erections *61* *1'-4 1/4"*
4'-1 3/4"
Correction for Round of Beam.....
Correction for fall in Sheer (if any).....
Correction for Steel Deck (if required) *61* *3 1/4"*
5'-10 1/2"
Additions for non-compliance with provisions of Para. 11 (d) and (e) $\frac{1}{2}$
Other Corrections (if any)

Winter Freeboard *3'-10 1/2"*
Summer Freeboard *3'-6"*
Indian Summer Freeboard *3'-1 1/2"*
N. A. Winter Freeboard *4'-0 1/2"*
Correction necessary because clearside amidships, measured in accordance with the Statute is not taken at the intersection of the wood or steel deck with side. *✓*

Winter Freeboard from deck line
Summer " " " "
Indian Summer " " " "
N. A. Winter " " " "


22 APR 1933
RECEIVED
RECEIVED

Do all the Frames extend to the top height in the Poop? Raised Quarter Deck? Bridge House? Forecastle?
To what height do the Reverse Frames extend?
Has the Poop or Raised Quarter Deck an efficient Iron Bulkhead at the fore end?
Give particulars of the means for closing the openings in Bulkhead
Is the Poop or Raised Quarter Deck connected with the Bridge House? Has the Bridge House an efficient Bulkhead at the fore end?
Give particulars of the means for closing the openings in Bulkhead
What is the thickness of the Bridge Front plating? and Coaming plate?
Give scantlings and spacing of the Stiffeners
Are bracket plates fitted at each end of the Stiffeners? Are hor'l. brackets fitted connecting Bridge Bulk'd. with Bulwarks?
Has the Bridge House an efficient Iron Bulkhead at the after end?
How are the openings closed?
Is the Forecastle at least as high as the main or top-gallant rail? Has the Forecastle an efficient Iron or Wood Bulk'd. at after end?
Are the Engine and Boiler openings covered by a Bridge, Poop, Raised Quarter Deck, or enclosed by a Strong Iron or Steel Deckhouse?
If the openings are not so protected are the exposed parts of the Casings efficiently constructed?
Give thickness of plating; scantlings and spacing of Stiffeners
What is the height of the exposed Casings? Are suitable means provided for
Are the Weather Deck Hatchways efficiently constructed and at least equal to the requirements of the Rules? Give particulars below:—

| | | | | | |
|-------------------------------|--|--|--|--|--|
| Position. | | | | | |
| Size. | | | | | |
| COAMING. | | | | | |
| Height above top of DECK | | | | | |
| Thickness { | | | | | |
| Sides..... | | | | | |
| Ends..... | | | | | |
| SHIFTING BEAMS OR WEB PLATES. | | | | | |
| Number | | | | | |
| Section and Scantlings | | | | | |
| Material | | | | | |
| * FORE AND AFTERS. | | | | | |
| Number | | | | | |
| Section and Scantlings | | | | | |
| Material | | | | | |
| HATCHES Thickness | | | | | |
| Remarks..... | | | | | |

* The depth of Fore and Afters should be stated from the underside of
(If the sill of the lowest side scuttle will be less than 6 inches above the India
tables, state vertical distance from top of keel to lower edge of lowest side scuttle.)
The following information is to be given in all Cases of vessels dealt with under Paras. 11, 12 (under 15 feet)
What is the thickness of the Bridge Sheerstrake? Strake between Main and Bridge
Delete the words { The Crew are, are not, berthed in the bridge house.
that do not apply { The arrangements to enable them to get backwards and forwards from their quarters

Length of Bulwarks in well
Area of Freeing Ports required by Para. 11 (e) each side of vessel = Sq. ft.
Ft. Tenths. Ft. Tenths. No. } Freeing Ports (each side of vessel) = Sq. ft.
x x }
x }
Total deficiency or excess = Sq. ft.



Show hereon line of Floors or Tank Top with position of any Breaks in same; also height of Peak Tank tops, &c., &c.
State any special features in the construction of the Vessel
Builder's name and yard number
Names of sister vessels
Owners
Address
Fee £ : Received by me