

Lloyd's Register of Shipping.

INTERNATIONAL CONVENTION 1930 RESPECTING LOAD LINES.

RENEWAL SURVEY IN ACCORDANCE WITH ART. 14 OF THE CONVENTION.

(Port) NEWCASTLE-ON-TYNE(Date) 18th Nov. 1937.

I have to report that I have surveyed the

"SIG"

of

BERGEN.

O.N.

✓

on this date.

I have compared the arrangements on board the ship with those given in the original freeboard report and I have found them to be in agreement therewith or equivalent thereto, and the whole to be in efficient condition, subject to the hatchways in bridge tween decks (including tarpaulins, covers, and battening arrangements) being examined.

Repairs:- Renewed 52 wood hatch covers, & 6 hatch battens.

" 4 hatch cleats & 4 lugs for hatch beam carriers.

" 6 wood plugs for air pipes, & 2 E.R. skylight flaps.

" 4 stormboards for forecastle bulkhead openings.

Repaired fidley grating storm cover.

Overhauled all stormvalves.

The freeboard marking has been verified and found to agree with the freeboards given on certificate No. _____ dated _____ which is returned herewith.

A provisional freeboard certificate has been issued.

G. Campbell.

Surveyor to Lloyd's Register.

Fee

£ 2-10-0 (including verification)

Is fee paid

APPLIED FOR

20.11.37



© 2020

Lloyd's Register
Foundation

W449-0025

6000
30/11/37
30 NOV 1937

Handwritten text, mostly illegible due to fading and bleed-through.

Handwritten text, mostly illegible due to fading and bleed-through.

Handwritten text, mostly illegible due to fading and bleed-through.

Handwritten text, mostly illegible due to fading and bleed-through.

Handwritten text, mostly illegible due to fading and bleed-through.

Handwritten text, mostly illegible due to fading and bleed-through.

Handwritten text, mostly illegible due to fading and bleed-through.

Handwritten text, mostly illegible due to fading and bleed-through.

Handwritten text, mostly illegible due to fading and bleed-through.

Handwritten text, mostly illegible due to fading and bleed-through.

Handwritten text, mostly illegible due to fading and bleed-through.



© 2020

Lloyd's Register
Foundation