

Rpt. 11b.

Lloyd's Register of Shipping.

SURVEYS FOR FREEBOARD STEAM SHIPS.

PARTICULARS RELATING TO ALL STEAM SHIPS EITHER FLUSH DECKED, OR WITH TOP GALLANT FORECASTLES, SHORT POOPS AND BRIDGE HOUSES DISCONNECTED, OR WITH TOP GALLANT FORECASTLES HAVING LONG POOPS, OR RAISED QUARTER DECKS CONNECTED WITH BRIDGE HOUSES, OR OTHERWISE.

Port of Survey
Date of Survey
Name of Surveyor

5-10-32.

Ship's Name.	Port of Registry and Nationality.	Official Number.	Gross Tonnage.	Date of Build.	Particulars of Classification.
SEA RAMBLER.	British Lower.	149165	2327.	1930. 87.	+100A.1.
Number in Register Book					

Registered dimensions from	LENGTH.	BREADTH.	DEPTH.	UNDER DECK TONNAGE.
	294.1	43.1	18.8	1978.53.
	290.0	Frame Depth 8 Rule " 52 2 x 2 1/2 = 42. Ceiling fitted	No Ceiling + 20 Sheer + 97	Peak } Inc. Tanks }
	290.0	42.68	19.97	1978.53.

Moulded Depth as measured.....20'-10"

Addition for Keel below base line
for draught record.....inches.

NOTE.—If the depth is measured when vessel is afloat, the details of measurement should be reported.

CORRECTION FOR LENGTH.

Length of Ship on Loadline.....	290
Length in Table	250
Difference	40
Correction for 10ft., Table A.	1.2
Table C.6
x Difference divided by 10	4.8
(if required.) 2.4	
If 1/10ths length covered divide by 2	+4 3/4
	+2 1/2

CORRECTION FOR IRON DECK.

Proportion covered, if less than 1/10ths length covered	4065
Thickness of usual wood deck, less stringer	3 1/2
	1.42 - 1/2

CORRECTION FOR ROUND OF BEAM.

Breadth at Gunwale amidships.....	42.70
Round of Beam	10.25
Normal round.....	10.67
Difference	42 ÷ 2 = 21.
Proportion of Deck uncovered (Para. 19)	5935
	NIL.

NOTE.—The round of beam should be reported on the full breadth of vessel at the gunwale.

ness.....	.80
n necessary }	C08.
to (e)]*	
orrected78.
84	
st 42	126 ÷ 2 = 63 ...Mean
	73.86.
	39.00
	34.86
	.97.
he length from Stem	54
Sternpost	27.25
Sheer	73.86 + 63
Sheer [Table, Para. 18]	38.43.
Difference.....	29.43.
Para. 18 (f)	÷ 4 = 7.36
	-7 1/4"

At front of bridge house.....	✓
At after end of forecastle	✓
÷ 2 =	✓
Correction	

ALLOWANCE FOR DECK ERECTIONS:—

ble C.....	1'-6 3/4.
Length, if required (Para. 12, 13, and 14)	+2 1/2.
	1'-9 1/4"
Table A. corrected for sheer, and for length, required (Para. 11, 12, 13, and 14)	3'-11 1/2.
	2'-2 1/4"
below.....	25.45
	6.68

or R. Q. Dk. if engine and boiler openings not
by bridge house (Para. 11)
or Deck Erections

Length.	Length allowed.	Height.
23.37	23.37	7'-6"
66.0 + 2.6	67.87	7'-6"
26.62	26.62	7'-6"
	117.86	4065.
Length of Ship	290.0	

Corresponding percentage
(Para. 11, 12, 13, or 14) 25.45

Freeboard, Table A	42
Correction for Sheer	3'-6 3/4.
	+4 1/2.
Correction for Length	3'-11 1/2.
Allowance for Deck Erections	-6 3/4.
	3'-4 3/4.
Correction for Round of Beam.....	
Correction for fall in Sheer (if any).....	/
Correction for Steel Deck (if required)	-1 1/2
	3'-3 1/4
Additions for non-compliance with provisions of Para. 11 (d) and (e) †	✓
Other Corrections (if any)	✓

Winter Freeboard	3'-3 1/4
Summer Freeboard	3'-0 1/4
Indian Summer Freeboard	2'-9 1/4
N. A. Winter Freeboard	3'-5 1/4

Correction necessary because clearside amidships, measured
in accordance with the Statute is not taken at the
intersection of the wood or steel deck with side.

Winter Freeboard from deck line	
Summer " " " "	
Indian Summer " " " "	
N. A. Winter " " " "	

SUMMER FREEBOARD amidships from Centre of Disc to top of Deck Line, Wood Steel, Deck:—

Tropical Fresh Water Line above Centre of Disc ...	8	Tropical Fresh Water Freeboard ...	2'-4 1/2
Fresh Water Line " " " " ...	5	Fresh Water " " " " ...	2'-7 1/4
Tropical Line " " " " ...	3	Tropical " " " " ...	2'-9 1/4
Winter Line " " " " ...	3	Winter " " " " ...	3'-3 1/4
Winter North Atlantic Line " " " " ...	5	Winter North Atlantic " " " " ...	3'-5 1/4

-5 OCT 1932

70 = 5002
40 x 25.48

MARKING FORM MARKING FORM
11 APR 1934 RECEIVED

RECEIVED - 6 OCT 1930

W 463-0235

87.8.
5.10.32

7.30