

Deck 336.09
Hatchways 4.36
31.42

Length on deck from fore part of stem to after part of sternpost 480.0

By whom built Workman Clark

12. *Copy*
FREEBOARD VERIFICATION FORM FOR STEAMERS.
(When received in London Office) 16.5.19

Vessel's Name *Port Bowen*
Official No. _____ No. in Reg. Book _____
Port of Registry (For Foreign Vessels) _____
Material or Steel _____ State whether Classed by Lloyd's Register *Yes*
Name of Owners _____ Date of Verification 14.5.19

I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned to the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line	6	ft.	4½	ins.
From centre of disc to top of statutory deck line at awning or part-awning deck		ft.		ins.
Fresh water line above centre of disc			7¾	ins.
Indian Summer line above centre of disc			6½	ins.
Winter line below centre of disc			6½	ins.
Winter North Atlantic line below centre of disc				ins.
Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of wood or iron deck with the vessel's side	at main, spar or upper dk.		1⅝	ins.
	at awning or pt.-awning dk.			ins.

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or iron deck.

Condition of class

S^r J. McElvenna Surveyor.

(To be filled up in London Office.)


Statement No. 25276 Date of Committee's Minute 29.4.19
Particulars for Record in Register Book {
Moulded Depth 35 ft. 8 ins.
Freeboard 6 ft. 4½ ins.
Corresponding Draught 29 ft. 8 ins.

Freeboards compared and found correct by _____ date _____

Fee paid? _____ Form for Certificate _____ date _____

Instructions _____

Certificate written _____ Noted for posting _____



BEAMS, Second, Third & Fourth Deck, Single Angle, Rib Angle, Plate, Tee Bulb or Channel	9x3½x3½x50W SSF	9x3½x3½x50W SSF	Deck, Material and thickness
Angles on upper edge	20½	28½	Poop Deck Stringer Plate, breadth & thickness
			Angles on ditto