

[illegible][illegible]

GENERAL REMARKS—(continued).

WEB-FR
" "
WEB-FR
" "
WEB-FR
" "
" S
BRACK
Web F

BULK

W.T.BU

COLLIS
PARTI
LONGI

Are the
Are the

FLAT
(1' Ba
GARBO
State
thick
way of
Bo

Write "Bridge Sheer Strake" and "Upper Deck Sheerstrake" opposite the corresponding letter.

THE
CLEA
DO
DBL
" "
Le
POO
SHE
FOR

U
St

S
St

FE
RI

" "

O
L

B

T

E

S

Form No. 1A

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 107 ft., R.Q.D. ☒ ft., Bridge 100 ft., Forecastle 58 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 2 dks steel upper part sheathed
Official No. 132049; Signal Letters _____ State if Machinery is fitted aft No
How are the surfaces preserved from oxidation? Inside Paint and Cement Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floor Cellular With Bottom

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft, <u>Including 36 ft. 2 1/2 truss F. Water</u>	<u>137</u>	<u>560</u>	Fore peak tank,		
Double bottom, under Engines and Boilers, <u>F. Water</u>	<u>102</u>	<u>620</u>	After peak tank,		<u>80</u>
Double bottom, if under Engines only,			Deep tank, aft, <u>amidships, aft of Engines</u>	<u>30</u>	<u>75</u>
Double bottom, if under Boilers only,			Deep tank, forward,		<u>1030</u>
Double bottom, forward, <u>Including 30 ft. 180 tons F. Water</u>	<u>200</u>	<u>915</u>	Other tanks, if fitted,		
		Total capacity of double bottom <u>2095</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. Yes

Order for Special Survey No. 570

Date 23/9/12

No. 325 in builder's yard.

DATES of Surveys held while building

1912: Oct 14, Nov 7, Dec 5, 17, 31, 1913: Jan 7, 9, 18, 20, 23, 28, 31, Feb 3, 6, 10, 12, 14, 17, 18, 20, 21, 25, 28, Mar 4, 6, 11, 14, 18, 20, 27, Apr 1, 3, 4, 7, 10, 14, 16, 18, 22, May 2, 5, 6, 9, 12, 13, 14, 16, 20, 23, 27, 30, June 4, 9, 11, 13, 17, 23, 25, 27, July 1, 4, 7, 29, 31, Aug 6, 8, 14, 18, 25, 28, Sep 2, 4, 11, 15, 16, 18, 19, 22, 25, 30, Oct 1, 2, 3, 6, 9, 10, 15, 20, 23, 27, 29, Nov 10, 11, 13, 14, 19, 24, 25, Dec 1, 2, 3, 9, 11, 12, 16, 17, 22, 1914: Jan 15, 21, 27, 28, 29, 30, Feb 4, 5, 6, 6, 10, 12, 13, 25, 26, 27, March 2, 3, 5, 6, 7
Total No. of Visits 28

Surveyor's Signature

M. Shewna. R. J. Beveridge

Rpt. 4

Date of ser

No. in
Reg. Bo

Master

Engines

Boilers

Register

Nom. Ho

ENGIN

Dia. of C

Is the sc

in the p

between t

liners ar

Dia. of T

collars

No. of I

No. of B

No. of L

In Engin

No. of Bi

Are all th

Are all o

Are they

Are they

What pi

Are all i

Are the E

Dates of

Is the Sc

BOILE

Total He

Working

Can each

each boile

Smallest o

Thickness

long. sec

Per centa

Size of co

Length of

Working

Pitch of s

Material

Material

Diameter

Thickness

Diameter

Pitch ac

thickness

Working

separately

holes

If stiffened

Working