

28853.

pt. 12.

FREEBOARD VERIFICATION FORM FOR STEAMERS.

(When received in London Office)

SAT. APR 24 1920

Port

*Bilbao*Vessel's Name *S.S. "GUERNICA" N°15 ship Astilleros Nervion*Official No. ☒No. in Reg. Book ☒

Port of Registry (For Foreign Vessels)

Bilbao

Material or Steel

*Steel*State whether Classed by Lloyd's Register *Approved*Name of Owners *Com. de Nav. de España*Date of Verification *20th April 1920*

8706. I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line *4'* ft. *3 1/2"* ins. ☒From centre of disc to top of statutory deck line } ☒ ft. ☒ ins.
at awning or part-awning deck . . . }Fresh water line above centre of disc . . . *5"* ins. ☒Indian Summer line above centre of disc . . . *4"* ins. ☒Winter line below centre of disc . . . *4 1/2"* ins. ☒Winter North Atlantic line below centre of disc *6 1/2"* ins. ☒Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of *at main, spar or upper dk.* ☒ ins.*at awning or pt.-awning dk.* *1 3/4* ins. ☒

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or iron deck.

*The three English Freeboard certificates have now been handed to the Builder.**M. R. M. R.*

Surveyor.

(To be filled up in London Office.)

Statement No. *28853*. Date of Committee's Minute *14.4.20*

Particulars for Record in Register Book.	{	Moulded Depth . . .	<i>24</i> ft. <i>10</i> ins.
		Freeboard . . .	<i>4</i> ft. <i>3 1/2</i> ins.
		Corresponding Draught	<i>20</i> ft. <i>11</i> ins.

Freeboards compared and found correct by *GRM* date *26.4.20*Fee paid? *Yes*Form for Certificate *A*

Instructions

date

Certificate written *14.4.20*

Noted for posting

© 2019

Lloyd's Register
Foundation