

[illegible]

EQUIPMENT No. 32674										LETTER										ANCHORS.										TONNAGE U.K. OR PLATING No. FOR TRAWLERS									
Number of Certificate.		Anchors.		Weight, Ex. Stock		Weight of Stock		Test per Certificate		Weight Required by Table 31		Description of Anchor.		Makers.		Where and when tested and Superintendent.																							
65153	1st Bower	60	2	24	60	2	24	48	15	0	60	0	0	Halls & S Head	Hingley	Neth. 28/11/11	Green																						
65152	2nd "	60	1	7	"	"	"	48	12	2	60	0	0	"	"	"	4/3/11																						
65315	3rd "	50	3	14	"	"	"	42	18	1	50	2	0	"	"	"	"																						
65186	4th "	72	0	17	"	"	"	170	2	0	"	"	"	"	"	"	"																						
65186	Stream	16	2	0	4	1	19	17	16	1	0	16	1	0	Ordinary	Hingley	Neth. 31/11/11																						
65131	Kedge	7	0	7	1	3	11	9	7	0	21	7	0	"	"	"	21/11																						
HAWSEERS AND WARPS.																																							
Number of Certificate.		Length and size supplied.		Test per Certificate.		Weight of Chain Cable.		Length and Size per Table 31.		Description.		Makers of Cables.		Where and when tested, and Superintendent.		Material.																							
46256	132	2 1/4	18 5/8	2 1/2	18 5/8	2 1/2	18 5/8	2 1/2	18 5/8	2 1/2	18 5/8	2 1/2	18 5/8	2 1/2	18 5/8	2 1/2	18 5/8																						
46257	135	2 3/8	18 5/8	2 1/2	18 5/8	2 1/2	18 5/8	2 1/2	18 5/8	2 1/2	18 5/8	2 1/2	18 5/8	2 1/2	18 5/8	2 1/2	18 5/8																						
Boats																																							
Pumps, Number																																							
Windlass is																																							
Engine Room Skylights. How constructed?																																							
Coal Bunker Openings. How constructed?																																							
Number of Scuppers, and numbers and dimensions of Freeing Ports, &c.																																							
Ceiling in Holds, thickness and material																																							
Cargo Hatchways. How formed?																																							
State size No. 1 Hatch (Forward)																																							
State size No. 2 Hatch																																							
Number of Web Plates, Shifting Beams and Fore and Afters to each Hatch																																							
Bulkheads, height above deck and description																																							
The foregoing is a correct description																																							
Builder's Signature																																							
Surveyor's Signature																																							
Surveyor to Lloyd's Register of British and Foreign Shipping.																																							
Correspondence. State dates and initials of letters respecting this case																																							
Workmanship. Are the butts of plating planed or otherwise fitted?																																							
Is the riveted work properly closed?																																							
Are the liners between the frames and plates solid single pieces?																																							
to plate, &c., conform well to each other?																																							
from the faying surfaces?																																							
Are the butts of Plating, Stringers, &c., properly shifted and strapped?																																							
Have all the upper and weather decks been tested as required by the Rules (Sec. 26, par. 20)?																																							
Have all the gutterways been tested as required by the Rules (Sec. 26, par. 20)?																																							
General Remarks (State quality of workmanship, &c.)																																							
This vessel has been built in accordance with the approved plans the Surveyor's letter of above dates & otherwise in accordance with the rules for the class contemplated																																							
Forging reports & copy of Midship Section Profile enclosed.																																							
7 Approved plans are also enclosed which please return for reference in dealing with sister vessels.																																							
The Surveyor should state the Number of Report and Name of any Sister Vessel.																																							
The amount of Entry Fee																																							
Special Survey Fee																																							
Travelling Expenses, if any																																							
State whether the Vessel has been built under Special Survey																																							
I am of opinion this Vessel should be Classed																																							
With, or without Freeboard, as condition of Class																																							
Committee's Minute																																							
Character assigned																																							
Lloyd's A.C.P.																																							
+ L.M.C. 4.11 F.D.																																							

GENERAL REMARKS—(continued).

[Faint, mostly illegible handwritten text in the upper section of the form, likely containing general remarks or survey details.]

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 40.2 ft., R.Q.D. ☒ ft., Bridge 172 ft., Forecastle 12.4 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 2 Decks (Upper steel part Tank 3).
 Official No. 131334; Signal Letters _____ State if Machinery is fitted aft No
 How are the surfaces preserved from oxidation? Inside Paint, Bitumastic & Cement Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system Yes

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>119</u>	<u>313</u>	Fore peak tank,		
Double bottom, under Engines and Boilers,			After peak tank,		
Double bottom, if under Engines only, <u>Dark Water</u>	<u>26</u>	<u>101</u>	Deep tank, aft,		
Double bottom, if under Boilers only,	<u>80</u>	<u>78</u>	Deep tank, forward,		
Double bottom, forward,	<u>182</u>	<u>540</u>	Other tanks, if fitted,		
	Total capacity of double bottom	<u>1087</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules Yes

Order for Special Survey No. 4471

Date 24. 3. 10

No. 337 in builder's yard.

Dates of Surveys held while building

1910. Apr 4. 7. 11. 14. 22. 26. May 4. 6. 12. 16. 18. 23. 30. June 6. 10. 13. 20. 24. 29
July 7. 13. 26. Aug 4. 5. 11. 22. 24. Sep 7. 16. 20. 29. Oct 10. 17. 20. 25. Nov 1. 3. 7. 10
14. 21. 24. 30. Dec 7. 12. 21. 28. 1911. Jan 4. 9. 11. 18. 23. 26. 30. Feb 2. 8. 12. 15. 16
20. 22. 24. 27. 28. March 2. 6. 10. 14. 15. 22. Apr 4. 6. 12. 18. 20. 25.

Total No. of Visits 76

Surveyor's Signature

[Handwritten signature: Henry A. Gibbs]