





Form No. 13

Write "Bridge Street Sprate" and "Upper Deck Sheraton" opposite the corresponding letter.

MS16-0095 2/2



GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 40.2 ft., R.Q.D. ☒ ft., Bridge 132 ft., Forecastle 45.5 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given should appear in the Register Book) 2 Dhs (Steel, Upper part Teak)  
 Official No. 131425; Signal Letters \_\_\_\_\_ State if Machinery is fitted aft No  
 How are the surfaces preserved from oxidation? Inside Paint, Bitumastic & Cement Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. Yes

| Where Fitted.  | *Length.<br>Feet. | Water Capacity.<br>Tons. | Where Fitted.  | *Length.<br>Feet. | Water Capacity.<br>Tons. |
|--|-------------------|--------------------------|--|-------------------|--------------------------|
| Double bottom, aft,                                      | <u>119</u>        | <u>318</u>               | Fore peak tank,  |                   |                          |
| Double bottom, under Engines and Boilers,                |                   |                          | After peak tank,                                       |                   | <u>111</u>               |
| Double bottom, if under Engines <u>only, Fresh water</u> | <u>26</u>         | <u>101</u>               | Deep tank, aft,  |                   | <u>75</u>                |
| Double bottom, if under Boilers <u>only,</u>             | <u>20</u>         | <u>78</u>                | Deep tank, forward,                                    |                   |                          |
| Double bottom, forward,                                  | <u>182</u>        | <u>590</u>               | Other tanks, if fitted,                                |                   |                          |
| Total capacity of double bottom                          | <u>1087</u>       |                          | (If necessary, furnish further information by sketch.) |                   |                          |

\* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. Yes

Order for Special Survey No. 4515

Date 2.9.10

No. 343 in builder's yard.

DATES OF SURVEYS held while building

1911. June 15. 26. July 3. 10. 13. 26. 31. Aug. 3. 7. 10. 14. 17. 22. 24. Sep. 4. 13. 18. 28. Oct. 4. 9. 13. 16. 23. 26. Nov. 1. 8. 13. 16. 20. 23. 24. 30. Dec. 5. 13. 18. 21. 26. 29. 1912. Jan. 8. 9. 12. 16. 19. 25. 29. Feb. 1. 12. 21. 27. 29. Mar. 4.

Total No. of Visits 51

Surveyor's Signature

Henry A. Gibbs

Lloyd's Register Foundation