

33915 C

## FREEBOARD VERIFICATION FORM FOR STEAMERS.

Port Belfast When received in London Office 4 DEC 1930Vessel's Name "LAGANBANK"Official No. 161873No. in Reg. Book 76346Port of Registry (For Foreign Vessels) BelfastIron or Steel Steel State whether Classed by Lloyd's Register yesName of Owners Bank Line Ltd Date of Verification 3<sup>rd</sup> December 1930

I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line 4 ft. 0 ins.From centre of disc to top of statutory deck line } ✓ ft. ✓ ins.  
at awning or part-awning deck . . . }Fresh Water line above centre of disc . . . 7 ins.Indian Summer line above centre of disc . . . 6 ins.Winter line below centre of disc . . . 6 ins.~~Winter North Atlantic line below centre of disc~~ ✓ ins.Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of ~~wood or steel deck with the vessel's side~~ } at ~~main, spar or~~ upper dk. 1½ ins.  
at ~~awning or pt. awning dk.~~ ✓ ins.

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or steel deck.

Maximum Summer Draught corresponding to the freeboard assigned as shown on the Builders' Displacement Scales:— 26' 1½"S. W. Kendall Surveyor.

(To be filled up in London Office.)

Statement No. 33915 Date of Committee's Minute 2. 12. 30

Particulars for Record in Register Book.	{	Moulded Depth . . .	<u>29</u> ft.	<u>10</u> ins.
		Freeboard . . .	<u>4</u> ft.	<u>0</u> ins.
		Corresponding Draught	<u>26</u> ft.	<u>1½</u> ins.

Freeboards compared and found correct by W. G. Date 4. 12. 30Is fee paid? Form for CertificateInstructions DateCertificate written 4/12/30 Noted for posting ✓

WS24-0243

Tonnage Opening Fitted.

© 2021

Lloyd's Register  
Foundation