









GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ft., R.Q.D. ☒ ft., Bridge ft., Forecastle ☒ ft.  
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as should appear in the Register Book)

Official No. ; Signal Letters State if Machinery is fitted aft

How are the surfaces preserved from oxidation? Inside ☒ Outside

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,			Fore peak tank,		
Double bottom, under Engines and Boilers,			After peak tank,		
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,			Other tanks, if fitted,		
			(If necessary, furnish further information by sketch.)		
	Total capacity of double bottom				

\* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules

Order for Special Survey No.

Date

No. in builder's yard.

Dates of Surveys  
held while building

Surveyor's Signature



© 2019

Lloyd's Register  
Foundation

N. 144

t. 8.

REI

Date of writing

No. in  
Reg. Book.

74152

TONNAGE

GROSS 2

UNDER DE. 1

NET 10

Surveyed

WB=Cell

total capa

N.E.—All

If the V

of the tanks co

girders, and of

Last R

(Periodical Su

cause of Rep

on account o

and besides t

replacement

the back of th

In damage ca

they were

REPAIRS, O

Res

Ham

Fish

Wh

Way

made

ma

was

thro

fit

SUMMARY OF

Renewed

Removed

Paired or

PRESENT COND

Decks

Caulking of Deck

Waterways

Coamings

Beams & Fasteni

Outside Plating

Caulking of ditto

Rivets

Breasthooks & Cr

Transoms

Frames

Reverse Frame

Floors

Keelsons

General

Sta

this surv

survey, l

to

apin

Cl

mi

vey Fee (per

Damage

per Sec.

Travelling Exper

Second Surveyor

mitt

tracte