

Form No. 18. WEB FRAMES. FORGINGS or CASTINGS. KEEL, Stem, Stern-post, Rudder, Main-piece, RUDDER, how constructed, PLATING, STRAKES, RIVETING, BUTTS, Lower masts, Main masts, Bowsprit, Topmasts, Rigging, Sails.

EQUIPMENT No. 42053. LETTER 87. ANCHORS. TONNAGE U.D.K. OR PLATING No. FOR TRAWLERS. CHAIN CABLES. HAWSERS AND WARPS. Steering Gear, Steam, Hand, Windlass, Engine Room Skylights, Coal Bunker Openings, Number of Scuppers, Ceiling in Holds, Cargo Hatchways, State No. 1 Hatch, Number of Web Plates, Bulwarks, Correspondence, Workmanship, General Remarks, Committee's Minute, Character assigned.

W54-0010 (2/2)

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.

(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ✓

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) *2 ONE ST. AND SHELTER DECK ST.*

Official No. *146303* ; Signal Letters

State if Machinery is fitted aft *No*.

How are the surfaces preserved from oxidation? Inside *CEMENT IN TANKS FORWARD OF ENGINE ROOM BULKHEAD AND PEAKS AND PAINT* Outside *PAINT*

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors *Yes*

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<i>149.83</i>	<i>537</i>	Fore peak tank,	-	-
Double bottom, under Engines and Boilers, <i>WELL</i>	<i>3.00</i>		After peak tank,	<i>Feet Water</i>	<i>46 1/2</i>
Double bottom, if under Engines only,	<i>21.00</i>	<i>99</i>	Deep tank, aft,	<i>27.0</i>	<i>778</i>
Double bottom, if under Boilers only, <i>WELL</i>	<i>43.00</i>	<i>311 2/3</i>	Deep tank, forward,		
Double bottom, forward,	<i>159.75</i>	<i>595</i>	Other tanks, if fitted,		
Total capacity of double bottom		<i>1542</i>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks. *381.58*

State whether the above have been tested as required by the Rules. *Yes* ✓

Order for Special Survey No. *5471*

Date *19. 3. 20*

No. *946* in builder's yard.

DATES OF SURVEYS held while building

19. 20. Oct. 20. 25. 27. Nov. 2. 4. 10. 12. 19. 23. 25. 30. Dec. 2. 10. 15. 21. 30. 19. 21. Jan. 5. 7. 13. 14. 19. 26. 28. Feb. 1. 4. 9. 15. 17. 22. 24. 28. Mar. 2. 3. 4. 7. 8. 9. 11. 14. 15. 18. 21. 22. 31. Apr. 5. 7. 11. 13. 15. 16. 19. 20. 26. May. 2. 4. 9. 11. 20. 31. June 8. 14. 15. 17. 23. July. 1. 4. 6. 12. 15. 21. 23. Aug. 5. 9. 12. 18. 25. 26. 30. Sep. 5. 8. 13. 16. 19. 22. Oct. 10. Nov. 3. 4. 8. 9. 10. 14. 15. 17. 18. 21. 23. 24. 25. 28. 29. 30. Dec. 1. 8. 16. 22. 19. 22. Jan. 4. 10. 12. 23. May. 19. 23. 26. 29. 30. 31. June. 2. 7. 13. 14. 16. 26. 30. July. 3. 5. 7. 10. 12. 14. 17. 19

Total No. of Visits *131*

Surveyor's Signature

L. R. Richards

Lloyd's Register Foundation