

## FREEBOARD VERIFICATION FORM FOR STEAMERS.

When received in London Office

24689

E-9141

7 AUG 1930

Port Newcastle-on-Tyne  
 Vessel's Name SS "AIKLEAF" ex "BEDEBURN"  
 Official No. 145468 No. in Reg. Book 65384  
 Port of Registry (For Foreign Vessels) ✓  
 Iron or Steel Steel State whether Classed by Lloyd's Register Yes  
 Name of Owners Dunelm Shipp<sup>g</sup> Co<sup>ltd</sup> Date of Verification 6-8-30

I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line	4	ft.	4½	ins. ✓
From centre of disc to top of statutory deck line } at awning or part-awning deck . . . }		ft.		ins.
Fresh Water line above centre of disc . . .			5½	ins. ✓
Indian Summer line above centre of disc . . .			4½	ins. ✓
Winter line below centre of disc . . . . .			5	ins. ✓
Winter North Atlantic line below centre of disc			7	ins. ✓
Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of wood or steel deck with the vessel's side } at main, spar or upper dk.			1½	ins. ✓
				ins. ✓

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or steel deck.

Maximum Summer Draught corresponding to the freeboard assigned as shown on the Builders' Displacement Scales:—

Alex E Steenson. Surveyor.

(To be filled up in London Office.)

Statement No. 24689 Date of Committee's Minute 13.6.16

Particulars for Record in Register Book. {  
 Moulded Depth . . . . . 27 ft. 3 ins.  
 Freeboard . . . . . 4 ft. 4½ ins.  
 Corresponding Draught . . . . . 23 ft. 2 ins.

Freeboards compared and found correct by W.S. Date 7.8.30

Is fee paid? \_\_\_\_\_ Form for Certificate \_\_\_\_\_

Instructions \_\_\_\_\_ Date \_\_\_\_\_

Certificate written 6.8.30 Noted for posting Packed