

[illegible][illegible]

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 14.12 ft., R.Q.D. 14.12 ft., Bridge 13.04 ft., Forecastle 25.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated The Raised Quarter deck & Bridge are joined.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given in the Register Book) One deck (pt iron, pt steel)
Official No. 136080; Signal Letters _____ State if Machinery is fitted aft Yes
How are the surfaces preserved from oxidation? Inside Paint Bitumastic & Cement Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. Cell. S. S.

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,			Fore peak tank,	<u>19.33</u>	<u>102</u>
Double bottom, under Engines and Boilers,			After peak tank,	<u>9.87</u>	<u>30</u>
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward, <u>of C.B. space</u>	<u>118.12</u>	<u>166</u>	Other tanks, if fitted,		
	Total capacity of double bottom	<u>166</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks. State whether the above have been tested as required by the Rules. Yes Satisfactorily

Order for Special Survey No. 139
Date 12-12-14
No. 210 in builder's yard.
DATES OF SURVEYS held while building
1914 Dec. 7-14 1915 Feb. 16-19 23 Mar 3-5 8-11 16-19 22-23 28-30 Apr 1-7 8-14 15-20 23-27 28 May 3-4 8-10
17-21 26-27 Jun 1-2 11-14 15-18 22-23 30 Jul 2-5 8-12 16-19 20-21 23-26 28 Aug 3-11 24-26 Sep 7-8 9-13 20-21 27 Oct 6-9 11 Nov 10-12 16-18 22-24

Surveyor's Signature Wm L. Gilman Lloyd's Register Foundation