

3 Decks.

IRON OR STEEL STEAMER.

Received at London Office TUES. 4 OCT 1904

Date of completion of report 3rd October 1904 Port of Belfast
Survey held at Belfast Date, First Survey 7th Nov 1903 Last Survey 30th Sep 1904
On the Steel Screw Steamer "Pardo" Rig Schr. 2 masts

TONNAGE under 3817.12

THREE DECKED VESSEL.

CLASS 100 A

FEET.

Master J. Thomas

Year of appointment

(1) As Master in service of
(2) As Master of this vessel

Total under Upper Dk. 126.07

Half Breadth (moulded) 24.00

Do. of Poop 126.07

Depth from upper part of Keel to top of Upper Deck Beams 29.70

Do. of Bridge House 238.19

Girth of Half Midship Frame (as per Rule) 49.86

Do. of Forecastle 111.47

deduct 7 feet 7.00

Do. of Houses on Dk. 111.47

1st Number 96.56

Do. of excess of Hatchways 7.09

Length on deck from after part of stem to fore part of stern post 373.17

Do. above Crown of Engine Room 65.71

2nd Number 36033.29

Gross Tonnage 4365.59

Proportions—Breadth to Length 7.79

Do. Crew Space 114.54

Depth to Length—Upper Deck to top of Keel 12.87

Do. above Crown of Engine Room 65.71

Main Deck ditto 17.30

NNGE FOR FEES 4185.34

Destined Voyage River Plate, Hull & London

Do. Engine Room 1926.99

Surveyed while Building, Afloat, & in Dry Dock while Building

Do. Navigation Spaces 63.13

Register Tonnage 2790.93

as cut on Beam

LENGTH on Deck 373 2 BREADTH—Moulded 48 0 DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams 25 10 1/2
as per Rule 373 2 Do. do. do. do. Main Dk. Beams 17 1 1/2 No. of Decks with flat laid Two
Dimensions of Ship per Register, Length 375 breadth 48.3 depth 25.8 Moulded depth, ft. 28 ins. 11 1/2 To Upper Dk. Round of Upper Dk. Beam, Actual 9 ins.

FRAMING.				FORGINGS or CASTINGS.			
	Inches in Ship	Inches in Ship	Inches in Ship		Inches in Ship	Inches in Ship	Inches in Ship
FRAME, Angles, or 7, C or E Bars for length amidships	9 x 3 1/2 x 3 1/2 x 10	9 x 3 1/2 x 3 1/2 x 10	9 x 3 1/2 x 3 1/2 x 10	KEEL, Bar or Side Plates, depth and thickness	11 x 3	11 x 3	11 x 3
Do. for 1/2 at each end	6 3/2 x 3 1/2 x 9	6 3/2 x 3 1/2 x 9	6 3/2 x 3 1/2 x 9	STEM, moulding and thickness	11 x 7	11 x 7	11 x 7
Do. in way of Double Bottoms at Solid Floors	6 3/2 x 3 1/2 x 9	6 3/2 x 3 1/2 x 9	6 3/2 x 3 1/2 x 9	STERN-POST for Rudder do. do.	11 x 7	11 x 7	11 x 7
Distance of Frames from moulding edge to moulding edge, all fore and aft	24	24	24	MAIN PIECE of Rudder, diameter at head	10 1/2	9 1/2	9 1/2
REVERSED FRAME, Angles	6 3/2 x 3 1/2 x 9	6 3/2 x 3 1/2 x 9	6 3/2 x 3 1/2 x 9	RUDDER, how constructed	Forging-built with single plate 15		
DEEP FRAMING, depth of girder	46	46	46	Can the Rudder be unshipped afloat?	Yes		
FLOORS, depth and thickness of Floor Plate at mid-line for 1/2 length amidships	46	46	46	KEELSONS & STRINGERS.			
Do. in way of Engines and Boilers	46	46	46	CENTRE LINE KEELSON, Vertical Plate above floors, Through Plate, or Intercoastal Plate			
thickness at the ends of vessel	46	46	46	Do. Rider Plate			
depth at 1/2 the half breadth, as per Rule	46	46	46	Do. Bulb Plate to Intercoastal Keelson			
height extended at the Bilges	46	46	46	Do. Horizontal Plates on Floors			
FLOORS & BRACKETS in Cell Dble Bottoms	46	46	46	Do. Angles			
Distance apart	46	46	46	SIDE KEELSON, Angles			
CENTRE GIRDER, in Double bottom, depth and thickness	46	46	46	Do. Bulb or Plate above floors, for lng.			
Angles, Top	46	46	46	Do. Intercoastal Plate, for length			
Bottom	46	46	46	Do. Attached to outside Plating with Angle			
SIDE GIRDERS, number on each side & thickness	46	46	46	BILGE KEELSON, Angles			
Angles	46	46	46	Do. Bulb or Plate above floors, for lng.			
MARGIN PLATE, depth (exclusive of flange) and thickness	46	46	46	Do. Intercoastal Plate for length			
Angles to Outside Plating	46	46	46	Do. Attached to outside Plating with Angle			
INNER BOTTOM PLATING, breadth and thickness of Middle Line Strake	46	46	46	BILGE STRINGER Angles			
in Engine and Boiler space	46	46	46	Do. Bulb Plate for length			
Remainder in Holds	46	46	46	Do. Intercoastal Plate for entire length			
BEAMS, Upper Deck, Single Angle, Bulb, Angle, Plate or Tee Bulb	46	46	46	Do. Attached to outside Plating with Angle			
Angles on upper edge	46	46	46	SIDE STRINGER Angles			
Average space	46	46	46	Do. Bulb or Intercoastal Plate, for entire lng.			
BEAMS, Middle Deck, Single Angle, Bulb, Angle, Plate or Tee Bulb	46	46	46	Do. Attached to outside plating with Angle			
Angles on upper edge	46	46	46	Upper Deck Stringer Plates, br'dth & thickness			
Average space	46	46	46	Do. Angle on ditto			
BEAMS, Lower Deck, Single Angle, Bulb, Angle, Plate or Tee Bulb	46	46	46	Do. Tie Plates fore and aft, outside Hatchways			
Angles on upper edge	46	46	46	Do. Deck, Steel, for entire lng.			
Average space	46	46	46	Do. Wood Deck. Material & thickness			
BEAMS, Hold, or Orlop, Plate or Tee Bulb	46	46	46	Middle Deck Stringer Plate, br'dth & thickness			
Angles on upper edge	46	46	46	Do. Angles on ditto, No. 2			
Average space	46	46	46	Do. Tie Plates outside Hatchways			
BEAMS, Poop Deck, Angle, Bulb, Angle, Plate or Tee Bulb	46	46	46	Do. Diagonal Tie Plates on Bms., No. of prs.			
Angles on upper edge	46	46	46	Do. Deck, Steel, for entire lng.			
Average space	46	46	46	Do. Wood Deck. Material & thickness			
BEAMS, Bridge Deck, Angle, Bulb, Angle, Plate or Tee Bulb	46	46	46	Lower Deck Stringer Plate, br'dth & thickness			
Angles on upper edge	46	46	46	Do. Angles on ditto, No.			
Average space	46	46	46	Do. Tie Plates, outside Hatchways			
BEAMS, Forecastle Deck, Angle, Bulb, Angle, Plate or Tee Bulb	46	46	46	Do. Deck, Material and thickness			
Angles on upper edge	46	46	46	Hold, or Orlop Stringer Plate, br'dth & thckn's			
Average space	46	46	46	Do. Angles on ditto, No.			
PILLARS, In 'tween Deck, size and spacing	46	46	46	Do. Tie Plates outside Hatchways			
Hold	46	46	46	Do. Deck. Material and thickness			
Quarter 'tween Dks.	46	46	46	Poop Deck Stringer Plate, breadth & thickness			
in Hold	46	46	46	Do. Angle on ditto			
WEB-FRAMES, In Fore Body, No. and spacing	46	46	46	Do. Tie Plates			
br'dth. & thickness	46	46	46	Do. Deck. Material and thickness			
No. of Side Stringers	46	46	46	Bridge Deck Stringer Plate, br'dth & thickness			
WEB-FRAMES, In E. & B. Space, No. & spacing	46	46	46	Do. Angle on ditto			
br'dth. & thickness	46	46	46	Do. Tie Plates			
WEB-FRAMES, In After Body, No. and spacing	46	46	46	Do. Deck. Material and thickness			
br'dth. & thickness	46	46	46	Forecastle Deck Stringer Plate, b'dth & th'kns			
No. of Side Stringers	46	46	46	Do. Angle on ditto			
Size of Angles or Tee Bars to Web-Frames	46	46	46	Do. Tie Plates			
BRACKET PLATES to Stringers between Web-Frames, depth and thickness	46	46	46	Do. Deck. Material and thickness			

PLATING. RIVETING. STRAKES. AS IN SHIP. PER RULE OR AS APPROVED. EDGES. BUTTS. LAPPED. ...

Correspondence. State dates and initials of letters respecting this case. Workmanship. Are the butts of plating planed or otherwise fitted? ...

