

PARTICULARS OF LONGITUDINAL FRAMING.

GENERAL

FRAMING.		AMIDSHIPS.			ENDS.			AMIDSHIPS.			ENDS.			RIVETING.	
		In Ship.			In Ship.			Per Rule or as approved.			Per Rule or as approved.			Rivets in Longitudinal Frames.	
		Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.	Ins.
Framing of L, L or C Frames in Bridge 'tween Decks Frames from Uppermost Continuous Deck Framing from Awning, Shelter or Upper Deck to Margin Plate.	1	7x3 1/2 x 36	7x3 1/2 x 36	7x3 1/2 x 36	7x3 1/2 x 36	7x3 1/2 x 36	7x3 1/2 x 36	7x3 1/2 x 36	7x3 1/2 x 36	7x3 1/2 x 36	7x3 1/2 x 36	7x3 1/2 x 36	7x3 1/2 x 36	7x3 1/2 x 36	7x3 1/2 x 36
	2	7x3 1/2 x 40	7x3 1/2 x 36	7x3 1/2 x 40	7x3 1/2 x 36	7x3 1/2 x 40	7x3 1/2 x 36	7x3 1/2 x 40	7x3 1/2 x 36	7x3 1/2 x 40	7x3 1/2 x 36	7x3 1/2 x 40	7x3 1/2 x 36	7x3 1/2 x 40	7x3 1/2 x 36
	3	"	"	"	"	"	"	"	"	"	"	"	"	"	"
	4	8x3 1/2 x 40	7 1/2 x 3 1/2 x 40	8x3 1/2 x 40	7 1/2 x 3 1/2 x 40	8x3 1/2 x 40	7 1/2 x 3 1/2 x 40	8x3 1/2 x 40	7 1/2 x 3 1/2 x 40	8x3 1/2 x 40	7 1/2 x 3 1/2 x 40	8x3 1/2 x 40	7 1/2 x 3 1/2 x 40	8x3 1/2 x 40	7 1/2 x 3 1/2 x 40
	5	8x3 1/2 x 44	8x3 1/2 x 40	8x3 1/2 x 44	8x3 1/2 x 40	8x3 1/2 x 44	8x3 1/2 x 40	8x3 1/2 x 44	8x3 1/2 x 40	8x3 1/2 x 44	8x3 1/2 x 40	8x3 1/2 x 44	8x3 1/2 x 40	8x3 1/2 x 44	8x3 1/2 x 40
	6	9x3 1/2 x 44	9x3 1/2 x 40	9x3 1/2 x 44	9x3 1/2 x 40	9x3 1/2 x 44	9x3 1/2 x 40	9x3 1/2 x 44	9x3 1/2 x 40	9x3 1/2 x 44	9x3 1/2 x 40	9x3 1/2 x 44	9x3 1/2 x 40	9x3 1/2 x 44	9x3 1/2 x 40
	7	10x3 1/2 x 44	9x3 1/2 x 48	10x3 1/2 x 44	9x3 1/2 x 48	10x3 1/2 x 44	9x3 1/2 x 48	10x3 1/2 x 44	9x3 1/2 x 48	10x3 1/2 x 44	9x3 1/2 x 48	10x3 1/2 x 44	9x3 1/2 x 48	10x3 1/2 x 44	9x3 1/2 x 48
	8	10x3 1/2 x 48	10x3 1/2 x 44	10x3 1/2 x 48	10x3 1/2 x 44	10x3 1/2 x 48	10x3 1/2 x 44	10x3 1/2 x 48	10x3 1/2 x 44	10x3 1/2 x 48	10x3 1/2 x 44	10x3 1/2 x 48	10x3 1/2 x 44	10x3 1/2 x 48	10x3 1/2 x 44
	9	10x4 1/2 x 3 1/2 x 53	10x4 1/2 x 3 1/2 x 53	10x4 1/2 x 3 1/2 x 53	10x4 1/2 x 3 1/2 x 53	10x4 1/2 x 3 1/2 x 53	10x4 1/2 x 3 1/2 x 53	10x4 1/2 x 3 1/2 x 53	10x4 1/2 x 3 1/2 x 53	10x4 1/2 x 3 1/2 x 53	10x4 1/2 x 3 1/2 x 53	10x4 1/2 x 3 1/2 x 53	10x4 1/2 x 3 1/2 x 53	10x4 1/2 x 3 1/2 x 53	10x4 1/2 x 3 1/2 x 53
	10	10x5 1/2 x 3 1/2 x 53	10x5 1/2 x 3 1/2 x 53	10x5 1/2 x 3 1/2 x 53	10x5 1/2 x 3 1/2 x 53	10x5 1/2 x 3 1/2 x 53	10x5 1/2 x 3 1/2 x 53	10x5 1/2 x 3 1/2 x 53	10x5 1/2 x 3 1/2 x 53	10x5 1/2 x 3 1/2 x 53	10x5 1/2 x 3 1/2 x 53	10x5 1/2 x 3 1/2 x 53	10x5 1/2 x 3 1/2 x 53	10x5 1/2 x 3 1/2 x 53	10x5 1/2 x 3 1/2 x 53
	11	12x3 1/2 x 3 1/2 x 62 1/2	12x3 1/2 x 3 1/2 x 62 1/2	12x3 1/2 x 3 1/2 x 62 1/2	12x3 1/2 x 3 1/2 x 62 1/2	12x3 1/2 x 3 1/2 x 62 1/2	12x3 1/2 x 3 1/2 x 62 1/2	12x3 1/2 x 3 1/2 x 62 1/2	12x3 1/2 x 3 1/2 x 62 1/2	12x3 1/2 x 3 1/2 x 62 1/2	12x3 1/2 x 3 1/2 x 62 1/2	12x3 1/2 x 3 1/2 x 62 1/2	12x3 1/2 x 3 1/2 x 62 1/2	12x3 1/2 x 3 1/2 x 62 1/2	12x3 1/2 x 3 1/2 x 62 1/2
	12	"	"	"	"	"	"	"	"	"	"	"	"	"	"
	13	"	"	"	"	"	"	"	"	"	"	"	"	"	"
	14	"	"	"	"	"	"	"	"	"	"	"	"	"	"
	15	"	"	"	"	"	"	"	"	"	"	"	"	"	"
	16	"	"	"	"	"	"	"	"	"	"	"	"	"	"
Spacing of Longitudinal Frames		30"	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"
Double Bottoms L, L or C	Tank Top Longitudinals	7x3x44	7x3x40	7x3x44	7x3x40	7x3x44	7x3x40	7x3x44	7x3x40	7x3x44	7x3x40	7x3x44	7x3x40	7x3x44	7x3x40
	Bottom	8x3 1/2 x 40	7x3 1/2 x 44	8x3 1/2 x 40	7x3 1/2 x 44	8x3 1/2 x 40	7x3 1/2 x 44	8x3 1/2 x 40	7x3 1/2 x 44	8x3 1/2 x 40	7x3 1/2 x 44	8x3 1/2 x 40	7x3 1/2 x 44	8x3 1/2 x 40	7x3 1/2 x 44
	Amidships	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"
	At Ends	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"	30"
Transverses.															
In Bridge 'tween Decks	Depth and Thickness	15x38	15x38	15x38	15x38	15x38	15x38	15x38	15x38	15x38	15x38	15x38	15x38	15x38	15x38
	Face Angles	5x3 1/2 x 44	5x3 1/2 x 44	5x3 1/2 x 44	5x3 1/2 x 44	5x3 1/2 x 44	5x3 1/2 x 44	5x3 1/2 x 44	5x3 1/2 x 44	5x3 1/2 x 44	5x3 1/2 x 44	5x3 1/2 x 44	5x3 1/2 x 44	5x3 1/2 x 44	
	Lugs to Shell	3 1/2 x 3 1/2 x 38	3 1/2 x 3 1/2 x 38	3 1/2 x 3 1/2 x 38	3 1/2 x 3 1/2 x 38	3 1/2 x 3 1/2 x 38	3 1/2 x 3 1/2 x 38	3 1/2 x 3 1/2 x 38	3 1/2 x 3 1/2 x 38	3 1/2 x 3 1/2 x 38	3 1/2 x 3 1/2 x 38	3 1/2 x 3 1/2 x 38	3 1/2 x 3 1/2 x 38	3 1/2 x 3 1/2 x 38	
In Awning, Shelter or Upper 'tween Decks.	Depth and Thickness	18x40	18x40	18x40	18x40	18x40	18x40	18x40	18x40	18x40	18x40	18x40	18x40	18x40	
	Face Angles	7x3 1/2 x 44 BA	7x3 1/2 x 44 BA	7x3 1/2 x 44 BA	7x3 1/2 x 44 BA	7x3 1/2 x 44 BA	7x3 1/2 x 44 BA	7x3 1/2 x 44 BA	7x3 1/2 x 44 BA	7x3 1/2 x 44 BA	7x3 1/2 x 44 BA	7x3 1/2 x 44 BA	7x3 1/2 x 44 BA		
	Lugs to Shell	3 1/2 x 3 1/2 x 40	3 1/2 x 3 1/2 x 40	3 1/2 x 3 1/2 x 40	3 1/2 x 3 1/2 x 40	3 1/2 x 3 1/2 x 40	3 1/2 x 3 1/2 x 40	3 1/2 x 3 1/2 x 40	3 1/2 x 3 1/2 x 40	3 1/2 x 3 1/2 x 40	3 1/2 x 3 1/2 x 40	3 1/2 x 3 1/2 x 40	3 1/2 x 3 1/2 x 40		
In Hold.	Depth and Thickness	28x50	28x50	28x50	28x50	28x50	28x50	28x50	28x50	28x50	28x50	28x50	28x50	28x50	
	Face Angles	9x3 1/2 x 46 BA	9x3 1/2 x 46 BA	9x3 1/2 x 46 BA	9x3 1/2 x 46 BA	9x3 1/2 x 46 BA	9x3 1/2 x 46 BA	9x3 1/2 x 46 BA	9x3 1/2 x 46 BA	9x3 1/2 x 46 BA	9x3 1/2 x 46 BA	9x3 1/2 x 46 BA	9x3 1/2 x 46 BA		
	Lugs to Shell	6x6x46	6x6x46	6x6x46	6x6x46	6x6x46	6x6x46	6x6x46	6x6x46	6x6x46	6x6x46	6x6x46	6x6x46		
Spacing of Transverse Frames		13'-0" to 1'-0" jogged except those both in fore and aft parts													
Longitudinal Beams of L, L or C	Bridge Deck	7x3 1/2 x 37 1/2 BA	6x3x36 BA	7x3 1/2 x 37 1/2 BA	6x3x36 BA	7x3 1/2 x 37 1/2 BA	6x3x36 BA	7x3 1/2 x 37 1/2 BA	6x3x36 BA	7x3 1/2 x 37 1/2 BA	6x3x36 BA	7x3 1/2 x 37 1/2 BA	6x3x36 BA	7x3 1/2 x 37 1/2 BA	6x3x36 BA
	Awg. or Shlr. Dk.	7x3x36 BA	7x3x36	7x3x36 BA	7x3x36	7x3x36 BA	7x3x36	7x3x36 BA	7x3x36	7x3x36 BA	7x3x36	7x3x36 BA	7x3x36	7x3x36 BA	
	Upper	8x3x42 BA	8x3x40	8x3x42 BA	8x3x40	8x3x42 BA	8x3x40	8x3x42 BA	8x3x40	8x3x42 BA	8x3x40	8x3x42 BA	8x3x40	8x3x42 BA	
	Second	"	"	"	"	"	"	"	"	"	"	"	"	"	
Third															

NOTE:—This slip to be pasted on the fourth page of the Report, and reference to same to be made under framing, etc., on the first page.

50.12.15.—T. PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 32.75 ft., R.Q.D. ft., Bridge 148.00 ft., Forecastle 45.25 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated **no**

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given should appear in the Register Book) **1 Dk (Steel) + awning dk (Steel)**

Official No. **23876**; Signal Letters **R.F.W.B.** State if Machinery is fitted aft **no**

How are the surfaces preserved from oxidation? Inside **Cement + paint** Outside **By painting**

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. **Cellular**

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft, No. 7 - 96' 0" - 260.79 tons	135' 0"	448.11	Fore peak tank,	22' - 3"	170.
Double bottom, under Engines and Boilers, No. 6 - 39' 0" - 187.32 "	41' 0"	212.02	After peak tank,	10' - 0"	49.
Double bottom, if under Engines only, 25' 0" - 64.64 "			Deep tank, aft,	34' - 0"	1136.
Double bottom, if under Boilers only, 16' 0" - 82.74 "			Deep tank, forward,		
Double bottom, forward, 3 42' 0" - 217.20 tons	192' 0"	792.46	Other tanks, if fitted,		
2 85' 0" - 417.88 "			(If necessary, furnish further information by sketch.)		
1 65' 0" - 157.38 "			State whether the above have been tested as required by the Rules yes		
* The wells are not to be included in the lengths of the tanks.					

Order for Special Survey No. _____

Date _____

No. **952** in builder's yard.

Dates of Surveys held while building **Oct. 14th, 21st, 29th, Nov. 5th, 12th, 21st, 27th, Dec. 5th, 10th, 17th, 26th, Jan. 7th, 11th, 21st, 27th, Febr. 8th, 19th, 28th, March 5th, 10th, 14th, 17th, 25th, Apr. 1st, 7th, 10th, 15th, 17th, 19th, + 26th**

Surveyor's Signature **John**

Levy's Register Foundation