

Length of Keel.....224 0

Round of Beam.....4

Depth from timber strakes to
under side of ~~lower~~ deck beam } 9 9
Depth, Moulded.....21 9

No. of Tiers of Beam

1,500,10,17.

1

Sent to Chief Surveyors 2-1-18

Received from Chief Surveyors

VESSEL'S NAME Wood Aux T's Sch H.C. Hansen Report Sea No. 534

For the CHIEF SHIP SURVEYOR and CHIEF ENGINEER SURVEYOR.

(In cases which have to be submitted to the Classing Committee "the endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/52.)

Nature of Survey 1st entry

When due

As in some recent cases approved by the Committee the timber used in this vessel has not been specially treated by the carbolineum process.

+ 12 A1

Salted

A+C.P.

Pr G.D.B.

Hard wood treenails

P42' FH9'

Subject to special survey,
equal to half time survey, at
periods of 4 + 8 years from
date of completion.

M
MEI.
3-1-18



© 2020

Lloyd's Register
Foundation

W656-0285

and carline beams, through bolted and clenched from back of timbers