

No. of ~~Deck~~ ~~House~~ ~~14.79~~
Do. of Bridge House
Do. of Forecasts ~~67.49~~
Do. of Houses on Deck ~~11.31~~

Half Breadth (moulded) 23.66
8 ft line

Built at ~~South Shields~~ When built 1904-10. Launched

W665-0065

F.E.

5c,17.

now ZARIAN.

Received by Chief Ship Surveyor 10.10.07

Received from Chief Ship Surveyor

VESSEL'S NAME See S.S. "Spheroid" Rpt. None No. 53657

The remarks of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/02.)

CLASSIFICATION.

Items.	Additions (if any) required by Rules, or as approved.	On account of:—
Main Sheerstrake . .	$\frac{1}{2}$ " less, but compensated by increased thickness of plate above.	
Spar Sheerstrake . .	$\frac{2}{2}$ "	Proportions
Description of Framing:— <u>Deep (Bulb angle) framing.</u> (viz., ordinary, deep, zed, channel or bulb-angle).		

This vessel appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed \pm 100 A 1 ("Steel") "Spar Deck" as recommended.

\pm 100 A 1 ("Steel") "Spar Deck".


1 DK (Stl) & Spar DK (Stl) & deep framing.

N.B. = Cell DB \approx 110' \times E+B 42' f 156' 7495 APT 136

FK 68H Cen. Longi AYCP P88' B122' F38'

C.H.
10/10/07

The surveyor should be requested to state the moulded depth to the main deck for record in the Register Book.



© 2020

Lloyd's Register Foundation

Angles on upper edge					
Average space		24		24	
PILLARS. In 'tween Deck, size and spacing	3	@	48	3	@

Deck. Material and thickness	Iron
Bridge Deck Stringer Plate, br'dth & thickness	4.0
Angle on ditto	4.5 x 4.5
Plating	