

W666-0118

Wreck 58B

F.E.

1m, 8, 21.

Received by Chief Ship Surveyor

Received from Chief Ship Surveyor

VESSEL'S NAME *Se Se* "KAMLOOPS"

Rpt. *Indb Hpl.* No. *11981*
" *16202*

The remarks of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/92.)

Transverse No. _____ Depth "d" _____
Framing: Table No. _____ Description *Bull. angles. Longitudinal framing.*
Longitudinal No. _____
Proportions $\frac{\text{Length}}{\text{Depth}} = \frac{9.4}{}$

Deck Sheerstrake *as approved.*

The Survey has been completed at West Hartlepool and the Surveyors have forwarded a Report on Form 8.

This vessel appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed **† 100A.1. (Steel)** with freeboard," as recommended. "For Service on the Great Lakes and River St Lawrence" The Summer freeboard of **12'-8"** from centre of disc to top of statutory deck line at *upper* deck, now marked on the vessel's sides, to be inserted in the classification certificate, and recorded in the Register Book, and further, the remaining freeboards, as shown on the accompanying verification form to be inserted in the certificate of classification.

2 Skts (stl) web frames Longitudinal framing.
Cell DB + E. B 36' f 17' 57 1/2", F.P.T. 112t, APT 12t.
F.K, A.B.H.
"machy aft".
Clyde's A + CP.

It is concluded cement is fitted in the Cell D. B. in way of the boilers and that the frames in the peaks are of bull angle sections but the Surveyor should state if this is so.

See letter 8.7.24
24.6.24

The Certificate of Classification, to be endorsed

SHIP DECK, single, built up
(See Bull. or Chapter
on upper edge

per }
(actual)
Inches
per Rule.
Or as
33 3/8 + 4 1/2
4 7/8 + 5 1/2
Inches
per Rule
Or as
36 1/2
38 1/2
39 1/2
34
24
3
95