

MASTS, SPARS, &c.											
	Material.	Total Length.	DIAMETER AND THICKNESS.				No. of Plates in round.	ANGLES.		RIVETING.	
			At Partners.	Heel.	Heads.	Head.		Number.	Size.	Seams.	Butts.
LOWER MASTS:.....	Fore	P.P.	52' 0"	12"	12"	12"	13"	✓	✓		✓
	Mizen	P.P.	31' 0"	6"	8"	5"	4"	✓	✓	✓	✓
<u>Bonnet</u>											
Topmasts, Yards and Remainder of <u>Spars</u>											
<u>Rigging</u> , Material and Size, <u>Shrouds</u>		2½" S.W.R.					Stays	3" S.W.R.			
Sails. <u>one topsail on</u>		Suit of		<u>one</u>		Sails, and the following spare sails			✓		

I am of opinion this Vessel should be Classed ± 100 A.I.
 With, or without Freeboard, as condition of Class without. ✓
 Committee's Minute GLASGOW 29 NOV 1921
 Character assigned ± 100 A.I.
11.21. Lloyds A + CP
+ LMC 11.21.
See ltr. wire 30/11/21
gmb

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. 48.5 ft., Bridge 8 ft., Forecastle 28 (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (~~if~~ Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given should appear in the Register Book) One SK Steel.

Official No. 146270; Signal Letters

State if Machinery is fitted aft yes

How are the surfaces preserved from oxidation? Inside Cement

and Paint Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors ☒

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,			Fore peak tank,	<u>21</u>	<u>33</u>
Double bottom, under Engines and Boilers,			After peak tank,	<u>6</u>	<u>16</u>
Double bottom, if under Engines only,			Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,			Other tanks, if fitted,		
Total capacity of double bottom			(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules yes

Order for Special Survey No. 5375

Date 16. 4. 1920

No. 211 in builder's yard.

DATES OF SURVEYS held while building

1920 Jan 14. 26 Feb 3. 10. 19. 26 Mar 12. 18. 25. 30 Apr 9. 16. 23. 29 May 7. 12. 28 Jun 15. 23 July 5 Aug 12 Oct 2. 13
Nov 12 Dec 24 (1921) Jan 18 Feb 8. 10 Mar 2. 7. 21 Apr 1. 6. 14 May 3. 16. 19 Jun 9. 24 July 4. 29 Aug 10 Sep 12.
Oct 24 Nov 9. 14. 16. 21. 25.

Total No. of Visits 51

Surveyor's Signature J. Thomson

© 2021

Lloyd's Register Foundation