

Essex Isles W. S. T.

No. of Decks with flat Tiers of Beam ...

Received by Chief Ship Surveyor 1.10.04

Received from Chief Ship Surveyor

VESSEL'S NAME *S.S. "May Castle"* Report *Sid* No. *21954*

The remarks of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement." - Extract from Sub-Committee's Report, 24/5/92.)

CLASSIFICATION.

Items.	Additions (if any) required by Rules, or as approved.	On account of:—
Main Sheerstrake . .	<i>1/20" less, but compensated by increased thickness of shelter deck sides.</i>	
Spar Sheerstrake . .	<i>✓</i>	<i>✓</i>
Description of Framing:— <i>Deep (Bull angle) framing, in accordance (viz., ordinary, deep, zed, channel or bulb-angle). with the Rules, see foot note to Table B.1.</i>		

Ceiling in the holds has been fitted in way of hatching and over timbers only, at the request of owners, see letter attached.

In other respects This vessel appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed *100 A 1 ("Steel") Shelter deck* with freeboard," as recommended. The Summer freeboard of *4'-5"* from centre of disc to top of statutory deck line at *upper* deck, now marked on the vessel's sides, to be inserted in the classification certificate, and recorded in the Register Book, and further, the remaining freeboards, as shown on the accompanying verification form to be inserted in the certificate of classification.

*100 A 1 ("Steel") Shelter deck with freeboard.
2 Dks (Stt) & deep framing & shelter dk (Sht)*

N. B - Cell DB a 118' x EY B 44' f 168' 982E DT f 32' 785E FPT 105E APT 180E

FK 6BH Am. Lloyd's A & CP

500-5-03.

It should be pointed out to the Surveyor that this vessel requires by Table 22 two 8" and two 7" beams of 90 fathoms each, and not four 7" of 90 fathoms each as stated in their report.

© 2020 Lloyd's Register Foundation

RS. Vertical Spacing

LONGITUDINAL ..

Deep tank holds as per plans ... in deep tanks 7/10 ...

Ship.	
plal	
3	
7	
10	
9	
7	
12	
9	
9	
10	
9	
7-6	
10	
9	
66	
76	
10	
9	
66	
76	
30	
24	