

Total under Upper ...  
Do. of Pop  
Do. of R. Qr. Dk.  
Do. of Bridge House  
Do. of Rowcastle  
Beams at side of uppermost Continuous Deck ...  
Beduct height of 'tween deck when this does not exceed 8ft.  
Transverse Number  
Built at Trieste  
When built  
Launched 30-IV-1  
Stabilimento Tecnico Tri  
Libra Trieste

W710-0107

F.E.

Received from Chief Ship Surveyor  
by Chief Ship Surveyor

EL'S NAME Steel S.S. MONTE GRAPPA Rot. Tri. No. 4863

Remarks of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/92.)

Transverse No. 84.0 Depth "d" 12'-5"  
Framing: Table No. 3 Description Bulb angle as approved  
Longitudinal No. 37800  
Proportions  $\frac{\text{Length}}{\text{Depth}} = \frac{10.46}{1}$

Bridge  
Deck Sheerstrake as approved.

X See separate endorsement re date of build. X

This vessel appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed 100 A.1. (steel) "Shelter Deck" with freeboard, as recommended. The Summer freeboard of 8'-9" from centre of disc to top of statutory deck line at Shelter deck, now marked on the vessel's sides, to be inserted in the classification certificate, and recorded in the Register Book, and further, the remaining freeboards, as shown on the accompanying verification form to be inserted in the certificate of classification.

2 Dks (steel) and Shelter Dk (steel)  
Cell DB 398' 1654E FPT 56t. APT 63t.  
FK. Collision BH. to Shelter Dk, 6 BH to upper Dk. Rem AYCP.  
Date of Build. B 108' on Shelter Dk.

© 2020 Lloyd's Register Foundation

W710-0118