

# With or Without Disconnected Erections.

## STEEL STEAMER.

Received at London Office... MON 13 SEP. 1915

Date of completion of report 10.9.15  
Survey held at Aberdeen

State if Report is also sent on the Machinery of the Vessel Yes

Port of Aberdeen

No. 11466

Date, First Survey 11.3.15

Last Survey 10.9.1915

1915

On the (State if Single, Twin, or Triple Screw) Single screw

"W MORRISON"

Rig Ketch

Tonnage under 204.70

CLASS 100 A1.

FEET.

Master

Year of appointment

(1) As Master in service of owner of present vessel: 1915  
(2) As Master of this vessel: 1915

Tonnage Deck 204.70

Breadth (greatest moulded) 22.5

FEET.

Built at Aberdeen

When built 1915 Launched 11.8.15

By whom built A Hall & Co Ltd

Owners Aberdeen Pioneer Steam Fishing Co Ltd

Managers H. C. Stroud

(Where necessary to be entered in Reg. Book)

Residence 164 Market Street, Aberdeen

Port belonging to Aberdeen

Do. between Tonnage Dk. and 3rd and 4th Dk.

Total under Upper Dk. 204.70

Do. of Poop

Do. of R.Q. Dk.

Do. of Bridge House

Do. of Forecastle

Do. of Houses on Dk. 4.18

Do. of excess of Hatchways

Do. above Crown of Engine Room 211.88

Gross Tonnage 204.70

Crew Space above Crown of Engine Room 186.39

AGE FOR FEES 186.39

Engine Room 95.46

Navigation Spaces 12.82

Net Tonnage 18.11

Destined Voyage Fishing

If Surveyed while Building, Afloat, or in Dry Dock First entry

LENGTH on Deck as per Rule	Feet.	Inches.	BREADTH Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid	No. of Tiers of Beams
115	0		22	6		12	3		one	one

Moulded depth, ft. 12 ins. 0 To Bridge Dk. Round of Upper Dk. Beam, Actual 1/4 ins.

Moulded depth, ft. 12 ins. 0 To Upper Dk.

Dimensions of Ship per Register. Length 115.2 breadth 22.6 depth 12.2

FRAMING. Inches in Ship. Inches in Ship. Inches in Ship. Inches in Ship. Inches in Ship. Inches in Ship.

FRAME, Angles, or E or L Bars amidships 4 3 38 4 3 38

Do. in peaks 4 3 34 4 3 34

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

Do. in way of Double Bottoms at Solid Floors 4 3 44 4 3 44

\* If Iron or Steel Deck, state if whole or part, and if Wood Deck is laid thereon.

W730-011312

© 2020

Lloyd's Register Foundation



[illegible]

EQUIPMENT No.				ANCHORS.				TONNAGE U. DK. OR PLATING No. FOR TRAWLERS				4082.																			
Number of Certificate.		Anchors.		WEIGHT. EX. STOCK.		WEIGHT OF STOCK.		TEST, PER CERTIFICATE.		WEIGHT REQUIRED BY TABLE 31.		Description of Anchor.		Makers.		Where and when tested and Superintendent.															
19842		1st Bower		5 1 0		1 1 14		4 11 3 14		5 1 0		Ordinary		Homerston		C. No. 13.4.15. S. B. Paul															
19843		2nd		4 3 4		1 0 24		4 2 2 0		4 3 0																					
20088		3rd		2 2 0		2 18		5 0 0 0		2 2 0																					
4th																															
Collective weight.				12 2 4						12 2 0																					
Stream																															
Kedge																															
CHAIN CABLES.																HAWERS AND WARPS.															
Number of Certificate.		Length and size supplied.		Test per Certificate.		WEIGHT OF CHAIN CABLE.		Length and size per Table 31.		Description.		Makers of Cables.		Where and when tested, and Superintendent.		Material.		Length and size supplied.		Test per Certificate.		Length and size per Table 31.									
18092		Fathoms. Ins.		Tons. Cwts. qrs. lbs.		Supplied. Per Rule.		Fathoms. Ins.						C. No. 11.8.15. S. B. Paul		HAWERS & WARPS		Fathoms. Ins.		Tons. Cwts. qrs. lbs.		Fathoms. Ins.									
		90		1 18 24		4 3 2 14		90		1 Stud.								60 6 Manila		60 6		60 6									
																		60 4 3		4 3		100 4 3									
				</																											



GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop ☒ ft., R.Q.D. ☒ ft., Bridge ☒ ft., Forecastle ☒ ft.  
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) *1 dk.*

Official No. ; Signal Letters State if Machinery is fitted aft *No.*  
How are the surfaces preserved from oxidation? Inside *portland cement paint.* Outside *paint.*

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Fore-peak tank,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Double bottom, under Engines and Boilers,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	After-peak tank,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Double bottom, if under Engines only,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Deep tank, aft,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Double bottom, if under Boilers only,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Deep tank, forward,	<i>2' 0"</i>	<i>12</i>
Double bottom, forward,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Other tanks, if fitted,	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Total capacity of double bottom	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	(If necessary, furnish further information by sketch.)		

\* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. *yes.*

Order for Special Survey No. *1390*

Date *16. 11. 14.*

No. *516* in builder's yard.

DAYS of Survey held while building

*19<sup>th</sup> Mar 11, 14, 19, 25, 26, 29 - Apr 1, 6, 9, 13, 15, 19, 22, 23, 24, 28, 30 - May 4, 6, 11, 12, 13, 18  
19, 20, 21, 25, 29, 31 - June 3, 4, 9, 14, 18, 21, 24, 25 - July 2, 5, 7, 16, 23, 24 -  
Aug. 4, 6, 9, 10, 11, 12, 16, 18, 29 - Sept. 6, 18/*

Surveyor's Signature

*Ridley Swell* Lloyd's Register Foundation

Total No. of Visits *05.*