

With or Without Disconnected Erections.

STEEL STEAMER.

Received at London Office 16-11-1915

Date of completion of report
Survey held at *Hull*

State if Report is also sent on the Machinery of the Vessel *Yes*
11-5-15 Port of *Hull*
Date, First Survey *4-6-14* Last Survey *20-4-1915*
Rig *Four aft.*

On the (State Single, Twin, or Triple Screw) STEAMER "URBINO"

TONNAGE under 6326.70

Do. between Tonnage Dk. and 3rd and 4th Dk.

Total under Upper Dk.

Do. of Poop

Do. of R. Q. Dk.

Do. of Bridge House

Do. of Forecastle

Do. of Houses on Dk.

Do. of access of Hatchways

Do. above Crown of

Engine Room

Gross Tonnage 6651.43

Less Crew Space

Less above Crown of

Engine Room

TONNAGE FOR FEES 6431.26

Less Engine Room

Less Navigation Spaces

Register Tonnage 4239.97

CLASS +100A1

FEET.

Breadth (greatest moulded) 57.0

Depth, at middle of length from top of keel to top of upper deck beams at side 33.54

Transverse Number 90.54

Length on deck from fore part of stem to after part of stern post 144.6

Longitudinal Number 40381

Depth "d," at middle of length (See Secs. 2 & 13) 20.0

Proportions—Depths to Length—Upper Deck Beam at side to top of keel 13.31

" " Long Bridge Deck Beam at side to top of keel 10.49

Master

Year of appointment

Built at *Hull*

When built 1915 Launched 4th March 1915

By whom built *Misses Gales & Co. Ltd.*

Owners *Mon. Wilson Sons & Co. Ltd.*

Managers

(Where necessary to be entered in Reg. Book.)

Residence *Hull*

Port belonging to *Hull*

and

Destined Voyage *Middleborough* If Surveyed while Building, Afloat, or in Dry Dock

LENGTH on Deck as per Rule	Feet.	Inches.	BREADTH Moulded	Feet.	Inches.	DEPTH, ACTUAL—Top of Floors to top of Upper Dk. Beams	Feet.	Inches.	No. of Decks with flat laid	No. of Tiers of Beams
446 0			57 0			31 0			2	2
						31 0				

Dimensions of Ship per Register, Length 446.0 breadth 57.3 depth 30.95 Moulded depth, ft. 42 ins. 6 1/2 To Bridge Dk. Round of Upper Dk. Beam, Actual 13 1/2 ins.

FRAMING.						PILLARS.					
FRAME, Angles, or E or L Bars amidships	Inches in Ship.	Inches in Ship.	Inches in Ship.	Inches in Ship.	Inches in Ship.	PILLARS, In 'tween Deck, size and spacing	Inches in Ship.	Inches in Ship.	Inches in Ship.	Inches in Ship.	Inches in Ship.
Do. in peaks	12	3 1/2	68	12	3 1/2	" Hold	3" in 3' cle and after top of				
Do. in way of Double Bottoms at Solid Floors	13 1/2	3 1/2	44	3 1/2	3 1/2	" Quarter 'tween Dks.,	3 1/2" in 1 1/2' cle and after 1' cle				
" " at intermdt. Bkts.	13 1/2	3 1/2	42	8 1/2	3 1/2	" in Hold	4" in 1 1/2' cle and after 1' cle				
Spacing of Frames from centre to centre amidships			36		36		4 1/2" below main deck				
" " length to Collision Bulkhead			27		27		4 1/2" below main deck				
" " from 1/2 in peaks			24		24		4 1/2" below main deck				
REVERSED FRAME, Angles							4 1/2" below main deck				
Do. in way of Double Bottoms at Solid Floors	13 1/2	3 1/2	44	3 1/2	3 1/2		4 1/2" below main deck				
" " at intermdt. Bkts.	13 1/2	3 1/2	42	8 1/2	3 1/2		4 1/2" below main deck				
FRAMING, depth of girder							4 1/2" below main deck				
FLOORS, depth and thickness of Floor Plate at mid-line for 1/2 length amidships							4 1/2" below main deck				
" in way of Engine and Boiler Spaces							4 1/2" below main deck				
" thickness at the ends of vessel							4 1/2" below main deck				
" depth at 1/2 the half breadth, as per Rule							4 1/2" below main deck				
" height extended at the Bilges							4 1/2" below main deck				
FLOORS in Cell. Double Bottoms							4 1/2" below main deck				
" state if flanged (top & bottom)							4 1/2" below main deck				
" Spacing of Solid floors							4 1/2" below main deck				
CENTRE GIRDER, in Dbl. bottom, dpth. & thickness							4 1/2" below main deck				
" " one Angles, Top & Bottom, dpth. & thickness							4 1/2" below main deck				
" " Bottom, dpth. & thickness							4 1/2" below main deck				
" " to Floors, dpth. & thickness							4 1/2" below main deck				
Brackets at intermdt. frmg., width & thickness							4 1/2" below main deck				
SIDE GIRDERS, number on each side & thickness							4 1/2" below main deck				
" state if flanged (top and bottom)							4 1/2" below main deck				
" Angles (top and bottom)							4 1/2" below main deck				
" to Floors							4 1/2" below main deck				
MARGIN PLATE, depth (exclusive of flange) and thickness							4 1/2" below main deck				
" Angles to Outside Plating							4 1/2" below main deck				
" Floors							4 1/2" below main deck				
Brackets at intermdt. frmg., width & thickness							4 1/2" below main deck				
Height of Outside Brackets above at bilge							4 1/2" below main deck				
INNER BOTTOM PLATING, breadth and thickness of Middle Line Strake							4 1/2" below main deck				
" in Engine and Boiler space							4 1/2" below main deck				
" Remainder in Holds							4 1/2" below main deck				
BEAMS, Upper Deck, Single Angle, Bulb Angle, Plate, Tee Bulb, or Channel							4 1/2" below main deck				
" In way of Long Bridge							4 1/2" below main deck				
" Spacing							4 1/2" below main deck				
BEAMS, Second Deck, Single Angle, Bulb Angle, Plate, Tee Bulb, or Channel							4 1/2" below main deck				
" Spacing							4 1/2" below main deck				
BEAMS, Third and Fourth Deck, Single Angle, Bulb Angle, Plate, Tee Bulb, or Channel							4 1/2" below main deck				
" Angles on upper edge							4 1/2" below main deck				
" Spacing							4 1/2" below main deck				
BEAMS, Poop Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel							4 1/2" below main deck				
" Angles on upper edge							4 1/2" below main deck				
" Spacing							4 1/2" below main deck				
BEAMS, Bridge Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel							4 1/2" below main deck				
" Angles on upper edge							4 1/2" below main deck				
" Spacing							4 1/2" below main deck				
BEAMS, Forecastle Deck, Angle, Bulb Angle, Plate, Tee Bulb, or Channel							4 1/2" below main deck				
" Angles on upper edge							4 1/2" below main deck				
" Spacing							4 1/2" below main deck				

If Iron or Steel Deck, state if whole or part, and if Wood Deck is laid thereon

W745-0096(1/2)ation

Committee's Minute TUE. MAY. 18. 1915
Character assigned 100 A.I.
Lloyd's A. & B. P. + L.M.C. 4. 15
Write ~~Hub~~ W.

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 47.75 ft., R.Q.D. 219.0 ft., Bridge 46.5 ft. (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 2 Plks (cell.)
 Official No. 136244; Signal Letters _____ State if Machinery is fitted aft ☒
 How are the surfaces preserved from oxidation? Inside Saint. & Cement Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cellular

Where Fitted.	Length. Feet.	Water Capacity. Tons.	Where Fitted.	Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	<u>135</u>	<u>435</u>	Fore peak tank,		<u>110</u>
Double bottom, under Engines and Boilers,	<u>51</u>	<u>238</u>	After peak tank,		<u>48</u>
Double bottom, if under Engines only, <input checked="" type="checkbox"/>			Deep tank, aft,		
Double bottom, if under Boilers only, <input checked="" type="checkbox"/>			Deep tank, forward,		
Double bottom, forward,	<u>196</u>	<u>705</u>	Other tanks, if fitted,		
Total capacity of double bottom		<u>1378</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules Yes

Order for Special Survey No. 2073

Date 2/7/14


No. 609 in builder's yard.

Dates of Surveys held while building

1914: Jan 4. 23. Jul 11. 27. 30. Aug 13. 17. 24. 25. 28. Sep 1. 3. 4. 8. 10. 14. 17. 22. 24. 28. Oct 1. 2. 5. 6. 8. 19. 22. 26. 28. Nov 4. 9. 10. 12. 17. 20. 24. 25. 26. Dec 1. 3. 8. 10. 14. 15. 17. 21. 30. 1915: Jan 5. 7. 11. 12. 14. 18. 19. 20. 21. 25. 27. Feb 1. 4. 8. 12. 18. 23. 26. Mar 2. 4. 5. 8. 16. 22. 25. 26. 29. 30. Apr 1. 6. 7. 9. 13. 14. 15. 16. 20.

Total No. of Visits 84

Surveyor's Signature [Signature]



Lloyd's Register Foundation