

TONNAGE under Tonnage Deck...
Do. between Tonnage Dk. and 3rd, 4th, or Awning Dk.)

CLASS **A** SHUTTER DK W. FREEBOARD 68.0
2487.96 Breadth (greatest moulded)

Master
(1) As Master in
(2) As Master of vessel

Rpt. 12.

Copy

FREEBOARD VERIFICATION FORM FOR STEAMERS.

(When received in London Office 1.12.17)

Port

Vessel's Name

O. B. Jennings

Official No.

No. in Reg. Book

Port of Registry (For Foreign Vessels)

Bayonne N. J

Iron or Steel

Steel

State whether Classed by Lloyd's Register

Yes

Name of Owners

Date of Verification

I have to report that the Freeboard from the centre of disc to the top of the statutory deck line, and the lines in connection therewith, as given below, assigned by the Committee to this vessel, have been correctly marked on the vessel's sides, in accordance with the printed instructions:—

From centre of disc to top of statutory deck line	11	ft.	5	ins.
From centre of disc to top of statutory deck line } at awning or part-awning deck }		ft.		ins.
Fresh water line above centre of disc			7	ins.
Indian Summer line above centre of disc			7	ins.
Winter line below centre of disc			7	ins.
Winter North Atlantic line below centre of disc				ins.
Distance between the top of statutory deck line on vessel's side and the intersection of the continuation of upper side of wood or iron deck with the vessel's side } at main, spar or upper dk. }			1 1/2	ins.
				ins.

NOTE.—It should be clearly shown whether the statutory deck line is set off from a wood or iron deck.

S.S. C. S. Pickering Surveyor.

(To be filled up in London Office.)

Statement No.

Date of Committee's Minute

4.12.17

Particulars for Record in Register Book.

Moulded Depth	38	ft.	3	ins.
Freeboard	11	ft.	5	ins.
Corresponding Draught	27	ft.	3	ins.

Freeboards compared and found correct by

date

Is fee paid?

Form for Certificate

Instructions

date

Certificate written

Noted for posting

2nd, 11, 10 - T.

Compulsory freeboards a condition of classification

NEWS.
unched 25.8
NEW SP
C 4 NEW
y Dock
of Decks with
of Tiers of B
nd up of Upp
x. Beam, Actu

Inches Spacing in Ship.	Inches in Ship.	Inches per
108		
108		
108		
108		

Inches Spacing in Ship.	Inches in Ship.	Inches per

© 2021 Lloyd's Register Foundation

W816-0128

thickness of middle line strake	<i>5/16</i>	<i>5/16</i>	<i>5/16</i>	<i>5/16</i>
thickness in Engine and Boiler space	<i>5/16</i>	<i>5/16</i>	<i>5/16</i>	<i>5/16</i>
Remainder in Holds	<i>3/16</i>	<i>3/16</i>	<i>3/16</i>	<i>3/16</i>

Second Deck Stringer Plates, br'dth & thick'n's	<i>6x6</i>	<i>15/16</i>
Angles on ditto, No.		
Tie Plates, outside Hatchways	<i>4 1/2</i>	<i>3/4</i>