

With or Without

# STEEL STEAMER.

Received at London Office: 10.10.10

## Disconnected Erections.

State if Report is also sent on the Machinery of the Vessel

yes

Date of completion of report

11th August 1916

Port of Greenock

No.

17035

Survey held at

Port Glasgow, Greenock

Date, First Survey 22nd Decr, 1914

Last Survey

8th August 1916

On the (State if Single, Twin, or Triple Screw)

Single Screw Steamer

OSWEGO

Rig Schooner

TONNAGE under

CLASS 100 A1

FEET.

Master

H. Montgomery

Year of appointment

(1) As Master in service of  
(2) As Master of this vessel  
1916

Tonnage Deck

Breadth (greatest moulded)

55.68

Do. between Tonnage Dks.

Depth, at middle of length from top of keel to top of

31.31

Do. of Bridge Houses

Transverse Number

86.99

Do. of Forecastle

Length on deck from fore part of stem to after part of

422.5

Do. of Houses on Dk.

Longitudinal Number

367.53.27

Do. of excess of Hatchways

Depth "d," at middle of length (See Secs. 2 & 18)

19.18

Do. above Crown of

Proportions—Depth to Length—Upper Deck Beam at

13.49

Do. Room

" " Long Bridge Deck

10.81

Do. FOR FEES

" " Beam at side to top of keel

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

Do. Room

" " " " " "

10.81

[illegible]

Form for the Survey of Ships, containing sections for Anchors, Chain Cables, Hawser and Warps, Boats, Steering Gear, Pumps, Engine Room, Coal Bunker, Freeing Ports, Ceiling in Holds, Cargo Hatchways, Bulwarks, Correspondence, Workmanship, and Committee's Minute. The form includes various tables for recording measurements and signatures, and a section for the Surveyor's Report.

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 37.75 ft., R.Q.D. ☒ ft., Bridge 123 ft., Forecastle 43 ft.  
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated ☒

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book). 2 Bks (H)

Official No. 139297 ; Signal Letters ☒

State if Machinery is fitted amidships

How are the surfaces preserved from oxidation? Inside by Portland cement and paint Outside by paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors cellular

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	138	429	Fore peak tank,		
Double bottom, under Engines and Boilers,	42	187	After peak tank,		
Double bottom, if under Engines only,			Deep tank, aft,	36	1113
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,	186	705	Other tanks, if fitted,		
Total capacity of double bottom		1321	(If necessary, furnish further information by sketch.)		

\* The wells are not to be included in the lengths of the tanks. 366

State whether the above have been tested as required by the Rules. yes

Order for Special Survey No. 2797

Date 18.11.14

No. 683 in builder's yard.

DATES of Surveys held while building

1914 Decr 22, 23, 24, 1915 Jan 8, 11, 21, Feb 5, 8, 10, 12, 18, 24, 25, Mar 4, 8, 11, 15, 18, 19, 22, 24, 25, 29, 30, 31 Apr 2, 5, 8, 9, 13, 14, 22, 28, 29, May 3, 6, 7, 10, 11, 13, 17, 18, 24, 25, 27, 28, 31, June 1, 3, 7, 8, 9, 11, 14, 15, 17, 22, 23, 24, 25, July 1, 2, 8, 9, 22, 23, 26, 27, 30 Aug 3, 5, 9, 10, 16, 17, 19, 23, 25, 27, Sep 6, 9, 15, 21, 22, 28 Oct 1, 2, 14, 15, 18, 19, 21, 22, 25, 26, 27, 28, 29 Nov 1, 2, 5, 10, 11, 12, 16, 22, 23, 25, 30 Dec 2, 3, 7, 14, 19, 16 Jan 10, 20, 31, Feb 4, 7, 10, 17 Mar 15, 20, 23, Apr 18, 24, 25, 26, 28 May 1, 2, 4, 11, 21, 26 Aug 7, 8 Total No. of Visits 137

Surveyor's Signature

J. Bennett

Lloyd's Register Foundation