

Spar, or Awning Dk. ~~IRON OR STEEL STEAMER.~~

No. 6445

Port of *Belfast* Date of completion of Report *THUR. 26 MAR 1908*  
Survey held at *Belfast* Date, First Survey *Aug 15<sup>th</sup> 1907* Last Survey *May 25<sup>th</sup> 1908*  
On the *S.S. Marowijne* Rig *Schooner*

TONNAGE under Tonnage Deck... 2026.84

Do. between Tonnage Dk. and 3rd, 4th, Spar or Awning Dk.

Total under Upper Dk.

Do. of Poop

Do. of Bridge House

Do. of Forecasts

Do. of Houses on Deck

Do. of excess of Hatchways

Do. above Crown of

Engine Room ...

Tonnage

Drew Space

Above Crown of

ine Room ...

AGE FOR FEES...

Engine Room

Navigation Spaces

ster Tonnage

ut on Beam ...

SPAR, AWNING OR PART AWNING-DECKED VESSEL,

or a Vessel having a continuous Shade Deck.

CLASS

100 A. 1. Spar Dk.

FEET.

Half Breadth (moulded) ... 21.16

Depth from upper part of keel to top of Main Deck Beams ... 19.21

Girth of Half Midship Frame (as per Rule) ... 36.29

1st Number ... 76.66

Length ... 337.33

2nd Number ... 25859

Proportions—Breadths to Length ... 7.97

Depths to Length—Main Deck to top of Keel ... 17.5

Destined Voyage *New York*Master *J.W. Driver*

Year of Appointment

Built at *Belfast*When built *1907-8* Launched *1<sup>st</sup> February 1908*By whom built *Workman Clark & Co Ltd*Owners *Stoomvaart Maatschappij Marowijne*

Managers

(Where necessary to be entered in Reg. Book.)

Residence *Paramaribo Surinam*Port belonging to *Paramaribo*If Surveyed while Building, Afloat, or in Dry Dock *Building*

GTH on Deck Feet. Inches. BREADTH—Feet. Inches. DEPTH, top of Floors to Spar or Awning Dk. Beams Feet. Inches. Power of Horse. No. of Decks with flat laid 3  
per Rule ... 337 4 Moulded 42 4 Do. do. Main Deck Beams ... 15 11 2 Engines No. of Tiers of Beams 3

ensions of Ship per Register, Length 339.5 breadth 42.6 depth 23.65 Spar or Awning Dk. Moulded depth, ft. 18 ins. 4 To Main Dk. Round up of Beam, Main Dk. 10 1/2 ins.

FRAMING.				FORGINGS AND CASTINGS.				Inches in Ship.		Inches per Rule.	
	Inches in Ship.	Inches in Ship.	Inches in Ship.		Inches in Ship.	Inches in Ship.	Inches in Ship.	Inches in Ship.	Inches in Ship.	Inches in Ship.	Inches in Ship.
ME, Angles, or L E or L Bars, for 1/2 length amidships	6 3/2	11	6 3/2	KEEL, Bar or Side Plates, depth and thickness	8 x 2 1/2	8 x 2 3/4	8 x 2 3/4	8 x 2 1/2	8 x 2 3/4	8 x 2 3/4	8 x 2 3/4
do. for 1/2 at each end	6 3/2	10	6 3/2	STEM, moulding and thickness	10 x 2 1/2	10 x 2 1/4	10 x 2 1/4	10 x 2 1/2	10 x 2 1/4	10 x 2 1/4	10 x 2 1/4
do. in way of Double Bottoms at Solid Floors	3 1/2	8 1/2	3 1/2	STERN-POST for Rudder do. do.	10 x 6	10 x 6	10 x 6	10 x 6	10 x 6	10 x 6	10 x 6
do. at intermdt. Bkts.				do. for Propeller	10 x 6	10 x 6	10 x 6	10 x 6	10 x 6	10 x 6	10 x 6
ance of Frames from moulding edge to moulding edge, all fore and aft	24		24	MAIN PIECE of Rudder, diameter at head	8 1/2	8 1/2	8 1/2	8 1/2	8 1/2	8 1/2	8 1/2
VERSED FRAME, Angles	4 3	9	4 3	do. at heel	6 1/2 x 5 1/8	6 1/4 x 5 1/8	6 1/4 x 5 1/8	6 1/2 x 5 1/8	6 1/4 x 5 1/8	6 1/4 x 5 1/8	6 1/4 x 5 1/8
EP FRAMING, depth of girder				RUDDER, how constructed	Single plate						
ORS, depth and thickness of Floor Plate at mid-line for 1/2 length amidships				Can the Rudder be unshipped afloat?	Yes						
do. in way of Engines and Boilers				KEELSONS AND STRINGERS.							
thickness at the ends of vessel				CENTRE LINE KEELSON, Vertical Plate above floors, Through Plate or Intercoastal Plate							
depth at 1/2 the half-bdth. as per Rule				do. Rider Plate							
height extended at the Bilges				do. Bulb Plate to Intercoastal Keelson							
ORS & BRACKETS, in Cell Dble Bottoms				do. Horizontal Plates on Floors							
Distance apart	24	7	24	do. Angles							
TRE GIRDER, in Double bottom, depth and thickness	39	10.8	39	SIDE KEELSON, Angles							
Angles, Top	4 4	11.9	4 4	do. Bulb or Plate above floors, for length							
Angles, Bottom	4 4	12.10	4 4	do. Intercoastal Plate, for length							
E GIRDERS, number and thickness	1	7	1	do. Attached to outside plating with Angle							
Angles	3 1/2	3 1/2	3 1/2	BILGE KEELSON, Angles							
RGIN PLATE, depth (exclusive of flange) and thickness	30	8	30	do. Bulb or Plate above floors, for length							
Angles	3 1/2	3 1/2	3 1/2	do. Intercoastal Plate, for length							
ER BOTTOM PLATING, breadth and thickness of Middle Line Strake	39	9.8	39	do. Attached to outside plating with Angle							
thickness in Engine and Boiler space	20	11.9	20	BILGE STRINGER Angles							
Remainder in Holds	6 3	8.7	6 3	do. Bulb Plate, for length							
MS, Spar or Awning Deck, Single Angle, Bulb Angle, Plate or Tee Bulb				do. Intercoastal Plate, for length							
Angles on upper edge	24		24	do. Attached to outside plating with Angle							
Average space	6 3	9	6 3	2SIDE STRINGER Angles in 8 1/2 ft. space	6 4	10	6 4	10	6 4	10	6 4
MS, Main Deck, Single Angle, Bulb Angle, Plate or Tee Bulb				do. Bulb or Intercoastal Plate, for full length	8	8	8	8	8	8	8
Angles on upper edge	24		24	do. Attached to outside plating with Angle	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2
Average space	6 3	9	6 3	Spar, or Awning Deck Stringer Plates, breadth and thickness	4 8	11	4 8	11	4 8	11	4 8
MS, Lower Deck, Single Angle, Bulb Angle, Plate or Tee Bulb				do. Angle on ditto	4 1/2 x 4 1/2	10	4 1/2 x 4 1/2	10	4 1/2 x 4 1/2	10	4 1/2 x 4 1/2
Angles on upper edge	24		24	do. Tie Plates, fore and aft, outside Hatchways	4 1/2 x 4 1/2	10	4 1/2 x 4 1/2	10	4 1/2 x 4 1/2	10	4 1/2 x 4 1/2
Average space	6 3	9	6 3	do. Diagonal Tie Plates, No. of prs	8.7.6	7.6	8.7.6	7.6	8.7.6	7.6	8.7.6
MS, Hold, or Orlop, Plate or Tee Bulb				do. Deck, * Iron or Steel, for full length	5 x 3 1/2	7.6	5 x 3 1/2	7.6	5 x 3 1/2	7.6	5 x 3 1/2
Angles on upper edge	24		24	do. Wood Deck, Material and thickness	5 x 3 1/2	7.6	5 x 3 1/2	7.6	5 x 3 1/2	7.6	5 x 3 1/2
Average space	6 3	9	6 3	Main Deck Stringer Plate, breadth & thickness	4 1	10	4 1	10	4 1	10	4 1
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb				do. Angles on ditto, No. 2	3 1/2 x 3 1/2	9.8	3 1/2 x 3 1/2	9.8	3 1/2 x 3 1/2	9.8	3 1/2 x 3 1/2
Angles on upper edge	24		24	do. Tie Plates, outside Hatchways	3 1/2 x 3 1/2	9.8	3 1/2 x 3 1/2	9.8	3 1/2 x 3 1/2	9.8	3 1/2 x 3 1/2
Average space	6 3	9	6 3	do. Diagonal Tie Plates, No. of prs	7.6	7.6	7.6	7.6	7.6	7.6	7.6
MS, Bridge Deck, Angle, Bulb Angle, Plate or Tee Bulb				do. Deck, * Iron or Steel, for full length	7.6	7.6	7.6	7.6	7.6	7.6	7.6
Angles on upper edge	24		24	do. Wood Deck, Material and thickness	7.6	7.6	7.6	7.6	7.6	7.6	7.6
Average space	6 3	9	6 3	Lower Deck Stringer Plates, br'dth & thickn's	4 1	8	4 1	8	4 1	8	4 1
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb				do. Angles on ditto, No. 2	3 1/2 x 3 1/2	9.8	3 1/2 x 3 1/2	9.8	3 1/2 x 3 1/2	9.8	3 1/2 x 3 1/2
Angles on upper edge	24		24	do. Tie Plates, outside Hatchways	6	6	6	6	6	6	6
Average space	6 3	9	6 3	do. Deck, * Material and thickness	Steel	6	Steel	6	Steel	6	Steel
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb				Hold, or Orlop Stringer Plate, br'dth & thickn's							
Angles on upper edge	24		24	do. Angles on ditto, No.							
Average space	6 3	9	6 3	do. Tie Plates, outside Hatchways							
MS, Bridge Deck, Angle, Bulb Angle, Plate or Tee Bulb				do. Deck, Material and thickness							
Angles on upper edge	24		24	Poop Deck Stringer Plate, breadth & thickness							
Average space	6 3	9	6 3	do. Angles on ditto							
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb				do. Tie Plates							
Angles on upper edge	24		24	do. Deck, Material and thickness							
Average space	6 3	9	6 3	Bridge Deck Stringer Plate, br'dth & thickness	4 0	9	4 0	9	4 0	9	4 0
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb				do. Angle on ditto	4 1/2 x 4 1/2	10	4 1/2 x 4 1/2	10	4 1/2 x 4 1/2	10	4 1/2 x 4 1/2
Angles on upper edge	24		24	do. Tie Plates	4 1/2 x 4 1/2	10	4 1/2 x 4 1/2	10	4 1/2 x 4 1/2	10	4 1/2 x 4 1/2
Average space	6 3	9	6 3	do. Deck, Material and thickness	Steel	6	Steel	6	Steel	6	Steel
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb				Forecastle Deck Stringer Plate, br'dth & th'kns	3 6	7	3 6	7	3 6	7	3 6
Angles on upper edge	24		24	do. Angle on ditto	4 x 4	13	4 x 4	13	4 x 4	13	4 x 4
Average space	6 3	9	6 3	do. Tie Plates	13	13	13	13	13	13	13
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb				do. Deck, Material and thickness	5 x 3	7.6	5 x 3	7.6	5 x 3	7.6	5 x 3
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								
Average space	6 3	9	6 3								
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb											
Angles on upper edge	24		24								



