

1 or 2 Dks., R. Q. Dk.,
and Pt. Awng. Dk.

IRON OR STEEL STEAMER.

No. 20535

State if Report is also sent on the Machinery of the Vessel

Received at London Office

FRI, 18 SEP 1908

Date of completion of Report 11th September 1908

Port of Hull

Date, First Survey 23rd March 1908

Last Survey 10th September 1908

Survey held at Hull

On the Steam Steamer

"HERMIONE."

Rig Ketch.

TONNAGE under
Tonnage Deck .. 197.77

Do. of Poop

Do. of Raised Gr.)

Dk. or Break.)

Do. of Bridge House

Do. of Forecastle

Do. of Houses on Deck

Do. of Access of Hatchways

Do. above Crown of

Room .. 201.54

new Space .. 20.55

new Crown of

Room .. 180.99

FOR FEES .. 85.37

Engine Room .. 16.66

Navigation Spaces .. 78.96

er Tonnage

on Beam ..

ONE OR TWO DECKED VESSEL.

CLASS 100 A1 "Steam Steamer."

Half Breadth (moulded) .. 11.19

Depth from upper part of Keel to top of Main Deck Bms. .. 13.31

Girth of Half Midship Frame (as per Rule) .. 20.12

1st Number .. 44.62

Length on deck from after part of stem to fore part of stern post .. 110.08

2nd Number .. 49.11

Proportions—Breadths to Length .. 4.92

Depths to Length—Main Deck to top of Keel .. 8.24

Destined Voyage Fishing

If Surveyed while Building, Afloat, or in Dry Dock Yes

Master

Year of appointment

Built at Hull

When built 1908 Launched 30th July.

By whom built Earle's Shipbuilding & Eng. Co. Ltd.

Owners Hellyer's Steam Fishing Co. Ltd.

Managers

(Where necessary to be entered in Reg. Book.)

Residence Hull.

Port belonging to Hull.

TH on Deck as Feet. Inches. BREADTH—Feet. Inches. DEPTH, ACTUAL—Feet. Inches. No. of Decks with Flat laid One
rule .. 110 1 Moulded .. 22 4 2 Top of Floors to top of Main Deck Beams .. 12 2 No. of Tiers of Beams One

ions of Ship per Register, Length, 111.3 breadth, 22.6 depth, 12.17 Moulded Depth, 12 ft. 10 ins. Round of Beam, Actual 6 ins.

FRAMING.				FORGINGS AND CASTINGS.			
Inches in Ship	Inches in Ship	16ths in Ship	Inches per Rule Or as Approved	Inches in Ship	Inches in Ship	16ths in Ship	Inches per Rule Or as Approved
KE, Angles, E or L Bars, for 1/2 length amidships ..	4	3	8/20	4	3	8/20	
for 1/2 at each end ..							
in way of Double Bottoms at Solid Floors ..							
" " at intermdt. Bkts. ..							
ing of Frames from centre to centre ..	20		20				
ERSED FRAME, Angles ..	3		flanged				
P FRAMING, depth of girder ..	4		4				
ORS, depth and thickness of Floor Plate) at mid-line for 1/2 length amidships ..	14	6	14	6			
in way of Engines and Boilers ..		7		7			
thickness at the ends of vessel ..		6		6			
depth at 1/2 the half breadth, as per Rule ..			straight across				
height extended at the Bilges ..			and plans				
ORS & BRACKETS, in Cell Dble Bottoms ..							
" " state if flanged (top & bottom) ..							
" " Spacing ..							
TRE GIRDER, in Double Bottom, depth) and thickness ..							
" " Angles, Top ..							
" " Bottom ..							
E GIRDERS, number on each side & thickness ..							
" " state if flanged (top & bottom) ..							
" " Angles ..							
GIN PLATE, depth (exclusive of flange) and thickness ..							
" " Angles to Outside Plating ..							
" " Floors ..							
" " Height of Floors at the Bilges ..							
ER BOTTOM PLATING, breadth and) thickness of Middle Line Strake ..							
" " thickness in Engine and Boiler space ..							
" " Remainder in Holds ..							
MS, Main and Raised Quarter Deck, Single Angle, Bulb Angle, Plate or Tee Bulb ..	5	3	8	5	3	8	
" " Angles on Upper Edge ..							
" " Spacing ..	40		40				
MS, Lower Deck, Single Angle, Bulb Angle, Plate or Tee Bulb ..							
" " Angles on Upper Edge ..							
" " Spacing ..							
MS, Hold, Plate or Tee Bulb ..							
" " Angles on Upper Edge ..							
" " Spacing ..							
MS, Poop Deck, Angle, Bulb Angle, Plate or Tee Bulb ..							
" " Angles on Upper Edge ..							
" " Spacing ..							
MS, Bridge or Pt. Awng. Deck, Angle, Bulb Angle, Plate, or Tee Bulb ..							
" " Angles on Upper Edge ..							
" " Spacing ..							
MS, Forecastle Deck, Angle, Bulb Angle, Plate or Tee Bulb ..							
" " Angles on Upper Edge ..							
" " Spacing ..							
PILLARS, in 'tween Decks, Size and Spacing ..							
" " Hold ..	2 1/2		As arranged				
" " Quarter, 'tween Dks., " " ..							
" " in Hold ..							
WEB FRAMES, in Fore Body, No. and Spacing ..							
" " No. of Side Stringers ..							
WEB FRAMES, in E. & B. Space, No. and Spacing ..							
" " Brdth. & Thickness ..							
WEB FRAMES, in After Body, No. and Spacing ..							
" " Brdth. & Thickness ..							
" " No. of Side Stringers ..							
" " Size of Angles or Tee Bars to Web Frames ..							
BRACKET PLATES to Stringers between) Web Frames, Depth and Thickness ..							
BULKHEADS.				STIFFENERS.			
In Vessel	Per Rule	Thickness	Horizontal	Vertical	Single or Double Frames	Height up	
W.T. BULKHEADS	4	4	4	3 x 2 1/2 x 5/16	48	20	
PARTITION							
LONGITUDINAL							
Are the outside Plates doubled two spaces of Frames in length? Yes							
Are the Sluice Valves and Watertight Doors in efficient working order? Yes							

