




SECTIONAL ELEVATION




FRONT ELEVATION




ARRANGEMENT OF TUBES ON SHELL



EXTREME WING VIEW



PLAN






Percentage of strength of shell plating to be not less than 66.8% or the shell plating to be not less than 33.3% of the strength of the shell.

LONGITUDINAL SEAMS	CROWN AND CIRCUMFERENTIAL SEAMS	INTERNAL SEAMS
Percentage of strength of shell plating to be not less than 66.8% or the shell plating to be not less than 33.3% of the strength of the shell.	Percentage of strength of shell plating to be not less than 66.8% or the shell plating to be not less than 33.3% of the strength of the shell.	Percentage of strength of shell plating to be not less than 66.8% or the shell plating to be not less than 33.3% of the strength of the shell.
Working Pressure - 100 LBS PER SQ. IN.	Working Pressure - 100 LBS PER SQ. IN.	Working Pressure - 100 LBS PER SQ. IN.
Tensile Strength of Shell Plates - 27 to 32 TONS	Tensile Strength of Shell Plates - 27 to 32 TONS	Tensile Strength of Shell Plates - 27 to 32 TONS
Steel Plates and Rivets - Lapwelded Iron Tubes	Steel Plates and Rivets - Lapwelded Iron Tubes	Steel Plates and Rivets - Lapwelded Iron Tubes
Heating Surface 400 sq. ft. - 374 sq. ft. Grate Area 22 sq. ft. - 204 sq. ft.	Heating Surface 400 sq. ft. - 374 sq. ft. Grate Area 22 sq. ft. - 204 sq. ft.	Heating Surface 400 sq. ft. - 374 sq. ft. Grate Area 22 sq. ft. - 204 sq. ft.
To LLOYD'S SURVEY AND THE REQUIREMENTS OF THE BELGIAN GOVERNMENT.	To LLOYD'S SURVEY AND THE REQUIREMENTS OF THE BELGIAN GOVERNMENT.	To LLOYD'S SURVEY AND THE REQUIREMENTS OF THE BELGIAN GOVERNMENT.

BLAKE PATENT BOILER - 14'-0" HIGH x 6'-6" DIA x 100 LBS.

Scale 1" = 1 Foot

BOILER No 3119.



W869-022



Mess<sup>rs</sup> Lloyd's Surveyors

SOLANITE BRAND, REGD  
ALLOTT, JONES & CO., LIVERPOOL, MAKERS.



© 2020

Lloyd's Register  
Foundation



W869-0128



Blake Patent Boilers  
No. 3119

for  
Messrs. Wood Skinner & Co.  
S. S. No. 161

100 lbs W.P.



Mat. Rpt. No. 5903  
St. Belgique  
Inv. 57376.

RETAIN

W869-0128



© 2020

Lloyd's Register  
Foundation