

WEB
EB-FRAMES, In
" " No. of Side
EB-FRAMES, In
" " No. of Side
" " Size of Face
RACKET PLATE
Web Frames, dept
BULKHEADS.
T.BULKHEADS
COLLISION ..
RTITION ..
NGITUDINAL..
the outside Plate
the Slnice Valves
STRAKES.
AT PLATE KEEL.
Bar Keel, state Rivet
RBOARD or A St
ate actual B
ickness in C
of Double D
Bottom. E
F
G
H
J
K
L
M
N
O
P
Q
R
S
T
U
V
W
KNESSES OF SH'EST
AR OF LONG BR
O. OF STRAKE
G. of Flat Plate
Sheerstr
ngth and thickn
P SIDES
RT BRIDGE SID
ECASTLE SIDES
pper Deck
nger Plate
ond Deck
nger Plate
MES extend
ERSED FR
ER MASTS...
sprit.
nasts, Yards
ging, Material
S.

GENERAL REMARKS—(continued).

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 23.37 ft., R.Q.D. ft., Bridge 61.3 ft., Forecastle 25 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given should appear in the Register Book)

Official No. ; Signal Letters State if Machinery is fitted aft
How are the surfaces preserved from oxidation? Inside Cement and Paint. Outside Painted.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors. Cell. Bottom

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	63.25	107.	Fore peak tank,	13.8.	26.
Double bottom, under Engines and Boilers,			After peak tank,	13.25	25.
Double bottom, if under Engines only,	21.	45.	Deep tank, aft,		
Double bottom, if under Boilers only,			Deep tank, forward,		
Double bottom, forward,	99.75	177.	Other tanks, if fitted,		
	Total capacity of double bottom	329.	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. Yes and found

Order for Special Survey No. 462.
Date 6/4/15.
No. 466 in builder's yard.
DAYS of Surveys held while building
31/3 - 22/4 - 18/5 - 2-16/6 - 7-14-22-28/7 - 9-18/8 - 7-15-24/9 - 7-21-26/10 - 8-17/11 - 2-23-30-31/12 - 1915 - 5-8-13-17-22-26-31/1 - 1-16-22/2 - 6-31/3 - 6-13-25-28/4 - 2/5 - 8/5 1916

Surveyor's Signature

R. Heuvelburg

Lloyd's Register Foundation