

[illegible][illegible]

GENERAL REMARKS—(continued).

WEB-
WEB
WEB
BRAC
WEL
BUL
W.T.H

CO
PART
LONG

FLAT
(If B
GARE

State
thick
way o
Bo

THK
CLEA
DO
DBLG
POOP
SHOR
FORE

Up
Stri
Sec
Stri

FRA
REV

LOWE
Bows
Topm
Riggi
Sails.

[Faint, mostly illegible handwritten notes and sketches in the upper section of the form.]

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 21.0 ft., R.P. — ft., Bridge 72.0 ft., Forecastle 27.0 ft.
(in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated —

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given as it should appear in the Register Book) 1 SK. M.

Official No. 13288; Signal Letters _____ State if Machinery is fitted aft no
How are the surfaces preserved from oxidation? Inside Paint & Cement Outside Paint

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cellular

Where Fitted.	Length.	Water Capacity.	Where Fitted.	Length.	Water Capacity.
	Feet.	Tons.		Feet.	Tons.
Double bottom, aft,	<u>80</u>	<u>149</u>	Fore peak tank,	<u>—</u>	<u>57</u>
Double bottom, under Engines and Boilers,	<u>—</u>	<u>—</u>	After peak tank,	<u>—</u>	<u>86</u>
Double bottom, if under Engines only,	<u>28</u>	<u>70</u>	Deep tank, aft,	<u>—</u>	<u>—</u>
Double bottom, if under Boilers only,	<u>—</u>	<u>—</u>	Deep tank, forward,	<u>—</u>	<u>—</u>
Double bottom, forward,	<u>116</u>	<u>257</u>	Other tanks, if fitted,	<u>—</u>	<u>—</u>
	Total capacity of double bottom	<u>476</u>	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. yes

Order for Special Survey No. 506
Date 18.11.12
No. 168 in builder's yard.
Dates of Surveys held while building: 1913 Feb. 13, 21, 27 Mar. 5, 14, 31 Apr. 11, 17 May 8, 15, 23, 27, 29 June 2, 5, 9, 13, 18, 19 Jul. 10, 16, 19, 21, 23, 25

Surveyor's Signature J. Allan

© 2020
Total No. of Visits 96
Lloyd's Register Foundation

Rpt.
Date of
No. in
Reg. B
Supp 5
Master
Engine
Boilers
Registe
Nom. B
ENGL
Dia. o
Is the
in the
between
liners
Dia. of
collars
No. of
No. of
No. of
In En
No. of
Are al
Are al
Are th
Are th
What
Are a
Are th
Dates
Is the
BOIL
Total
Work
Can e
each b
Small
Thick
long.
Per c
Size o
Length
Work
Pitch
Mater
Mater
Diam
Thick
Diam
Pitch
thick
Wor
separ
holes
If sti
Wor