

Do. of Forecastle *29.58*  
 Do. of Houses on Deck  
 Do. of excess of Hatchways *19.10*

Depth from upper part of Keel to top of Main Deck Bms. *17'-8 5/8"*  
 (with the normal round up of beam)  
 Girth of Half Midship Frame (as per Rule) *32'-4"*

Built at *Notterdam*  
 When built *1909* Launce

F.E.

Received by Chief Ship Surveyor *16/7/09*

Received from Chief Ship Surveyor

VESSEL'S NAME *St J. Duiveland* Report *Rot* No. *6162*

The remarks of the Chief Ship Surveyor are desired on this case for the consideration of the Classing Committee.

("The endorsement to contain a succinct summary of any repairs that have been required and to show the cause or causes of such repairs, and also to bring out clearly any exceptional features in connection with the case, so that the Classing Committee may have all the salient points presented in the endorsement."—Extract from Sub-Committee's Report, 24/5/92.)

CLASSIFICATION.

| Items.               | Additions (if any) required by Rules, or as approved. | On account of:— |
|----------------------|---|-----------------|
| Main Sheerstrake . . | ✓   | ✓               |
| Spar Sheerstrake . . | ✓   | ✓               |

Description of Framing:— *Deep (bulb angle) framing.*  
 (viz., ordinary, deep, zed, channel or bulb-angle).

*No cargo battens have been fitted as the vessel is to be engaged in carrying coal.*  
 This vessel appears to have been built in accordance with the Rules and the approved plans, and it is submitted she is eligible to be classed *+ 100 A1 (Steel)* as recommended.

*+ 100 A. 1 (Steel)*  
*10" (std) & deep framing. Well deck*  
*H.B. Bull & Babington & Co. 102 3336 F.P.T. 196 A.P.T. 176*  
*F.K. H.B.H. Gen. Lloyds & Co. 282 B59 F25*

*J.W.*

The Certificate of Classification to have the following words written on it: "Subject to the vessel being engaged exclusively in carrying coal, ore, or wood, while without cargo battens"

*10/13/09*  
*Q*

*R.B.H.*  
*17/7/09*  
 © 2020



Lloyd's Register  
 W 915-0101

| PILLARS, In 'tween Decks, Size and Spacing | 70               | 70                            |
|--|------------------|-------------------------------|
| " Spacing . . . . .                        | <i>4 1/2 - 4</i> | <i>4 - 3 1/2 - 4 1/2</i>      |
| " " Hold                                   |                  |                               |
| " Quarter, 'tween Dks., " "                |                  | <i>Steel centre bulk head</i> |
| " " in Hold " "                            |                  | <i>under fore-castle.</i>     |

|  |                       |
|--|-----------------------|
| " Tie Plates                                     |                       |
| " Deck, Material and thickness                   | <i>pitch pine</i>     |
| Fore-castle Deck Stringer Plate, brdth & thcknss |                       |
| " Angle on ditto . . . . .                       | <i>20</i>             |
| " Tie Plates                                     | <i>partly plated.</i> |

hs Re  
 & Shee  
 in Reg. Book)  
 10  
 Dry Dock  
 Decks with  
 fiers of Beam  
 Round of I  
 Inches in  
*3/4*  
*7 1/2 x*  
*8 - 4*  
*6"*  
*4 1/2*  
 at  
 Yes  
 Inches in Ship  
 Inches in Ship  
 Dec 2  
 1 1/2  
 5/2 3/2  
 7 1/2  
 3 3  
 5 1/2 3 1/2  
 3 3 1/2  
 40  
 4 1/2 x 4 1/2