

WEB FRAM

WEB-FRAMES, In Fore

REMARKS—(continued).

No. of Side St

WEB-FRAMES, In E.

WEB-FRAMES, In

No. of f

Size of F

BRACKET PL

Web Frames

BULKHEAD

W.T.BULKHEAD

ER
B.A.

COLLISION

PARTITION

LONGITUDINAL

Are the outside Pl

Are the Sluice Va

STRAKE

FLAT PLATE KE

GARDEN or A

State actual
thickness in
way of Double
Bottom.

B

C

D

E

F

G

H

J

K

L

M

N

O

P

Q

R

S

T

U

V

W

THICKNESS OF SHE

CLEAR OF LONG B

DO. OF STRAKE

BLG. of Flat Pla

Sheerst

Length and thick

OP SIDES

OUT BRIDGE S

RECASTLE SIDE

Upper Deck

Ringer Plate

econd Deck

Ringer Plate

MES extend in

ERSED FRAM

(Bull

ER MASTS

asts, Yards an

ng, Material a

For the

PARTICULARS FOR RECORD in the REGISTER BOOK.—Length of Poop 27.3 ft., R.D. ✓ ft., Bridge 240. ft., Forecastle 36 (in feet and tenths). When the Poop is joined to the B.D., this should be distinctly stated.

No. and Material of Decks (if Iron or Steel) and whether wholly or partially covered with wood, and No. of tiers of Beams (this information is to be given should appear in the Register Book) One deck, (Steel).

Official No. 139598; Signal Letters

State if Machinery is fitted aft

no.

How are the surfaces preserved from oxidation? Inside

Cement + Paint.

Outside Paint.

PARTICULARS OF WATER BALLAST.—State whether the Double bottom is constructed on the cellular system or with girders on floors Cellular System

Where Fitted.	*Length. Feet.	Water Capacity. Tons.	Where Fitted.	*Length. Feet.	Water Capacity. Tons.
Double bottom, aft,	127.5	384	Fore peak tank,	✓	10
Double bottom, under Engines and Boilers,	42.5	169	After peak tank,	✓	9
Double bottom, if under Engines only,	✓	✓	Deep tank, aft,	✓	✓
Double bottom, if under Boilers only,	✓	✓	Deep tank, forward,	✓	✓
Double bottom, forward,	165.75	546	Other tanks, if fitted,	✓	✓
Total capacity of double bottom	335.75	1099	(If necessary, furnish further information by sketch.)		

* The wells are not to be included in the lengths of the tanks.

State whether the above have been tested as required by the Rules. Yes.

Order for Special Survey No. 2209.

Date 13th Oct. 1915.

No. 868, in builder's yard.

DATES of Surveys held while building

1915 Sep 16. 29. Oct 21. 22. 26. Nov 2. 5. 8. 12. 17. 19. 23. 29. Dec 1. 2. 3. 13. 29. 1916 Jan 18. 20. 21. 25. 26. 31. Feb 2. 4. 7. 9. 11. 15. 21. 22. 25. 29. Mar 3. 7. 13. 20. 30. April 5. 11. 12. 26. May 1. 2. 4. 8. 9. 12. 16. 22. 25. June 7. 13. July 7. 14. Aug 3. 5. 11. 23. 25. Sep 12. Oct 5. Nov 1. 3. 4. 6. 9. 10. 13. 14. 15. 16. 17. 18. 20.

Surveyor's Signature

Jas. W. Stuart

Total No. of Visits

8

Stiffened with rings

Working pressure of

Foundation